

HARO[®]
Quality Flooring

LAMINATE
FLOOR

HARO LAMIN

SIMPLY

ATE FLOORS –

BETTER

WELCOME TO HARO



Company management in
the fourth and fifth generations:
Peter Hamberger and
Dr. Peter M. Hamberger

Founded in 1866, our family business has a tradition in woodworking that goes back more than 150 years. Our love of natural wood and our awareness of quality and design have made us Germany's leading parquet manufacturer. We produced our first laminate floors as early as 1987 and now have customers in more than 90 countries. With our special expertise in the area of wood, we bring the best of two worlds together in our HARO Laminate Floors: natural styles that are almost indistinguishable from wood and a technical construction that makes the floors particularly hard-wearing and especially easy to clean and maintain. And with the quietest laminate floors in the world, we offer a very special floor that makes rooms calm and quiet. We would be very pleased to convince you of our HARO Laminate Floors through the diversity of our product range and the beauty of our wood styles.

TABLE OF CONTENTS

HARO LAMINATE FLOOR SIMPLY BETTER

8

The most beautiful wood styles _____	8
The world's quietest laminate floor _____	10
The easiest installation _____	12
Laminate Floor care _____	14

HARO LAMINATE FLOOR QUICKFINDER HOW TO FIND YOUR DESIRED FLOOR WITH EASE

16

Series _____	18
Formats _____	20
Finishes _____	22
Room Visualiser _____	24



SPECIAL EDITION NKL31 THE PERFECT STARTER

TRITTY 90 TRENDY FLOOR DESIGN – BEAUTIFUL AND DURABLE

TRITTY 100 THE TOUGH LAMINATE FLOOR WITH THE HUGE VARIETY

Gran Via 4V: extra long – extra wide _____
3-Strip, Plank 1-Strip, Loft 4V, Campus 4V _____

TRITTY 200 AQUA THE PREMIUM LAMINATE FLOOR WITH ADDITIONAL MOISTURE PROTECTION



26

32

42

42

60

78

ACCESSORIES

96



Skirtings/Mouldings _____ 98

Stair nosing _____ 100

Insulation underlays _____ 102

Installation _____ 104

clean & green care series _____ 106

SPECIFICATIONS

108

Construction _____ 108

Series _____ 110

Quality /Moisture protection _____ 111

PRODUCT RANGE OVERVIEW

112

CERTIFICATION

118

HARO LAMINATE FLOOR

THE MOST BEAUTIFUL WOOD STYLES: NATURALLY FROM HARO

HARO has 150 years of experience with wood. This is why no one knows better what a beautiful, trendy wood floor should look like, and how this look can be authentically reproduced in a laminate floor. This expertise makes HARO unique:

As a parquet specialist, HARO manufactures laminate flooring that is virtually indistinguishable from real wood parquet.

In addition, HARO Laminate Floors hardly need any maintenance. Dry cleaning with a broom or vacuum cleaner is sufficient for regular cleaning. Occasional damp cleaning with clean & green active, the ecological cleaning agent especially designed for the Laminate Floors by HARO, is completely sufficient. The result is amazing – a laminate floor that will remain as beautiful as real parquet for many years to come.

-
- HARO Laminate Floors have the most beautiful wood styles
 - Just like parquet, the surface textures are authentic down to the last detail
 - HARO Laminate Floors are virtually indistinguishable from original parquet flooring
 - HARO Laminate Floors are particularly easy to clean
-



SIMPLY
BETTER



HARO LAMINATE FLOOR

THE WORLD'S QUIETEST LAMINATE FLOOR: HARO TRITTY SILENT CT

With the invention of the world's quietest laminate floor, HARO has succeeded in what nobody thought was possible: the reduction of indoor sound by 60 % compared to standard laminate floors – a unique gain in comfort. This is why HARO TRITTY Silent CT is ideal for rooms in which people work and play every day, for instance in living rooms or children's rooms. The Silent CT technology is available for all TRITTY Series, except for the NKL 31 special edition.



**Fold Down
locking system**

-
- Reduction of indoor sound by 60%
 - Measured and confirmed by the independent testing institute IHD Dresden
 - It was given the "HolzLand Award" as the "most innovative product for the end consumer" and received the grade "Very Good" from the "Heimwerkermagazin" DIY magazine.
-



SIMPLY
BETTER



**60%
quieter**
than standard
laminate floors

HARO LAMINATE FLOOR

THE EASIEST METHOD OF INSTALLATION: TOP CONNECT

The Top Connect connection system makes installing the floor child's play and saves time – no tools are needed: simply angle in the floorboard, push it against the already laid board and press it down. Fast installation and high quality.



**Fold Down
locking system**

- Intuitive installation of boards
- Easy, quick and without any tools
- Matching accessories are all available from HARO: e.g. Insulation underlays, skirtings, mouldings and much more



SIMPLY
BETTER




HARO *LAMINATE FLOOR*

HARO LAMINATE FLOORS ARE EASY TO MAINTAIN

HARO Laminate Floors are easy to clean and maintain, while they keep their timeless beauty. Dry cleaning using a vacuum cleaner or a broom is all that is necessary. If damp cleaning is unavoidable, we recommend the clean & green active cleaner for the regular cleaning of laminate floors. It is eco-friendly and specially designed for Laminate Floors by HARO The care of HARO Laminate Floors: quick, easy and eco-friendly.



SIMPLY
BETTER



HARO LAMINATE FLOORS QUICKFINDER

THE EASIEST WAY TO YOUR DREAM FLOOR: HARO RANGE WITH SYSTEM

HARO has an impressively large selection of Laminate Floors – trendy styles and a variety of designs as well as different formats and qualities, depending on the use and area of application. The following explanation of the floors' properties will help you find the perfect floor for your requirements.

"HERE, I CAN FIND THE IDEAL FLOOR
WITHOUT LOSING TRACK."



Series


The load capacity and the thickness of the boards determines the classification into levels of use and the series.

Format

The format of the board significantly determines the impression a room makes.

Finishes

Eight different surface textures create the floor's look and feel.



HARO LAMINATE FLOORS QUICKFINDER SERIES

LAMINATE FLOORS BY HARO ARE THE PERFECT FIT: FOR EVERY ROOM AND APPLICATION

Corridors and living rooms are highly frequented areas where the floors are particularly exposed to high levels of footfall. For this reason, laminate floors installed here must be able to withstand substantial amounts of wear and tear. After all, you should be able to enjoy your beautiful floor for many years to come. On the other hand, rooms that are less exposed to wear and tear, such as bedrooms, do not need a floor with special features such as moisture protection, which is needed in bathrooms and kitchens.



*HARO SPECIAL EDITION NKL31:
The perfect starter models*



*HARO TRITTY 90:
Trendy floor design –
beautiful and durable*

90



How to find your way around the product pages:
The red dot indicates the Series of your TRITTY Laminate Floor.

GV

a

m

"FLOORS THAT STAY BEAUTIFUL DESPITE
A LOT OF WEAR AND TEAR."

100

*HARO TRITTY 100:
The tough laminate floor
with the huge choice.*

200
Aqua

*HARO TRITTY 200 Aqua:
The premium laminate floor
with extra moisture protection*

HARO LAMINATE FLOORS QUICKFINDER FORMATS

THE RIGHT FORMAT FOR EVERY ROOM

No matter what the room's layout is, no matter what the furnishing style or wallpaper is like or in which colour the walls are painted: HARO always has right board format. Gran Via 4V as a long board creates a greater air of spaciousness; the narrow and short Loft 4V reflects a rather Mediterranean style and looks great in smaller rooms. Plank 1-Strip is a true classic with its unfussy wood character.

"WITH THE LARGE VARIETY OF THE TRITTY
FORMAT, I CAN CREATE DIFFERENT EFFECTS
WITH ONE BASIC COLOUR."



90

GV ←

a
m

How to find your way around the product pages:
The black circle symbol indicates the format of your TRITTY Laminate Floor.

GV *Gran Via 4V: The Gigantic One*

- Gives rooms a more spacious appearance.
- The board has an authentic character thanks to the format and the bevelled edges on all four sides
- Dimensions: 243 x 1282 mm (9 9/16" x 50 15/32")

Campus *Campus 4V: The Trendy One*

- Classic board length with a generous width
- Gives even vibrant styles a harmonious look across the whole surface
- Dimensions: 243 x 1282 mm (9 9/16" x 50 15/32")

Loft *Loft 4V: The Slim One*

- Looks particularly elegant in smaller rooms
- Bevelled edges on four sides for a visual structure of the floor
- Dimensions: 135 x 1282 mm (5 5/16" x 50 15/32")

PL *Plank 1-Strip: The Classic One*

- Almost indistinguishable from real parquet
- Modern-classic board aesthetics
- Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32")

2-Strip *2-Strip: The Distinct One*

- Two parallel strips per board element
- Gives rooms a distinctive character
- Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32")

3-Strip *3-Strip: The Vibrant One*

- Three parallel strips create a vibrant look
- Classic styles
- Gives large areas a clear structure
- Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32")



HARO LAMINATE FLOORS QUICKFINDER FINISHES



HARO LAMINATE FLOORS SHOW THEIR QUALITIES: SURFACES WITH CHARACTER

The surface treatment protects and refines the laminate floor. In order to give the individual appearance of each board its final touch, the style is first chosen by the designers. Then a finish is chosen that best matches the look of the board.



BEVELLED EDGES ON THE LONG AND SHORT SIDES

The edges are bevelled on both sides and ends – for an even more vivid impression. Experts call this "long and short side bevelling".

90

GV



← How to find your way around the product pages:
This letter symbol indicates the finish of your desired floor.

"IT LOOKS SO AUTHENTIC, IT'S AMAZING.
JUST LIKE REAL WOOD."



PORES
Slightly pore-textured and silky shine finish.



PORES MATT
Slight pore texture and natural matt look.



BRUSHED
With the feel of real wood grain.



TEXTURED MATT
Similar to real wood grain. The matt appearance underlines the natural look.



SOFT MATT
A distinctive velvety soft surface. Natural and matt with a slight gloss effect in the texture.



AUTHENTIC
Almost indistinguishable from real wood. Texture and style match perfectly. The gloss level emphasises the character and natural look of the wood reproduction.



AUTHENTIC MATT
Almost indistinguishable from real wood. Texture and style match perfectly. The surface has a natural oil character. The Plank 1-Strip designs also have a slight shine effect in the pores.



AUTHENTIC SOFT
Almost indistinguishable from real wood. Texture and style match perfectly. The surface feels velvety and soft.

HARO ROOM VISUALISER


EXPERIENCE HARO FLOORS IN YOUR OWN HOME WITH 1 CLICK

The new HARO Room Visualiser enables you to select high-quality HARO Laminate Flooring on your tablet or smartphone in the comfort of your own home. You can lay the floor virtually in your own living room with just one click.

- 1 Take a photo of your home
- 2 Select a floor
- 3 Experience the floor in your home

Now at www.haro.com or
in the HARO digital! app






PLANK 1-STRIP
3-STRIP
2-STRIP

Special edition NKL 31

The perfect starter models

- With a construction height of only 7 mm (9/32"), it is ideal for renovations
- Suitable for use with underfloor heating and cooling
- For all residential applications



www.blauer-engel.de/uz176





31

PL

S

m

HARO Special edition NKL 31
Plank 1-Strip
OAK DOVER
textured matt
(wood reproduction)



Brand new: The HARO Room Visualiser. Simply take a photo of the room, select your favourite floor and experience in real time how a HARO Laminate Floor looks in your home. **Now at www.haro.com or at HARO digital! App**



31

HARO Special edition NKL 31
3-Strip
WALNUT AMBIENTE
pores
(wood reproduction)

3-Strip

p



31

HARO Special edition NKL 31
2-Strip
GRAPHITE OAK
textured matt
(wood reproduction)

2-Strip

s

m



31

PL

soft
m

HARO Special edition NKL 31
Plank 1-Strip
OAK SIENA VELVET WHITE
soft matt
(wood reproduction)



The matching accessories make it perfect! At HARO you not only get the most beautiful laminate floors, but also an extensive range of accessories – from insulation underlays to skirtings – in consistently high quality.



31

PL

HARO Special edition NKL 31
Plank 1-Strip
OAK MODENA
soft matt
(wood reproduction)

soft
m



31

PL

HARO Special edition NKL 31
Plank 1-Strip
OAK SIENA PURO
soft matt
(wood reproduction)


soft
m

PLANK 1-STRIP

TRITTY 90

*Trendy floor design –
beautiful and durable*

- With a construction height of only 7 mm (9/32"), it is ideal for renovations n High durability thanks to level of use 32
- Available with Silent Pro (luxury insulation layer) or Silent CT (the quietest laminate floor)
- Suitable for use with underfloor heating and cooling
- Double moisture protection due to aquaTec system



www.blauer-engel.de/uz176





90

PL

4
soft
m

HARO TRITTY 90
Plank 1-Strip 4V
DESIGN WOOD HARMONY
soft matt
(wood reproduction)

Floors with a colour, design and surface texture that perfectly match the interior design concept create a pleasantly calm ambience.





90

PL

4

soft

m

HARO TRITTY 90
Plank 1-Strip 4V
OAK MELINA PURO
soft matt
(wood reproduction)




90

PL



HARO TRITTY 90
Plank 1-Strip 4V
SCANDINAVIAN OAK
authentic
(wood reproduction)



The HARO Accessories range includes many useful care and installation products for your laminate floor.



90

PL



HARO TRITTY 90
Plank 1-Strip 4V
OAK EMILIA LIGHT GREY
authentic soft
(wood reproduction)



90


PL

4
a
soft

HARO TRITTY 90
Plank 1-Strip 4V
OAK BERGAMO ANTIQUE WHITE
authentic soft
(wood reproduction)



HARO Laminate Floor is made of 80% wood. Free from PVC, plasticisers and heavy metals. For this reason, HARO Laminate Floors are even certified with the Blue Angel.





90

PL

HARO TRITTY 90
Plank 1-Strip 4V
OAK ITALICA CREME
authentic
(wood reproduction)




www.blauer-engel.de/uz176



90

PL



HARO TRITTY 90
Plank 1-Strip 4V
SMOKED OAK
textured matt
(wood reproduction)



90

PL



HARO TRITTY 90
Plank 1-Strip 4V
OAK TERANA
soft matt
(wood reproduction)



90

PL

4
soft
m



HARO TRITTY 90
Plank 1-Strip 4V
OAK LIVORNO GREIGE
soft matt
(wood reproduction)

GRAN VIA 4V

TRITTY 100

*The Tough One:
extra long – extra wide*

- Particularly durable due to its thickness of 8 mm (5/16") and the level of use 32
- Available with Silent Pro (luxury insulation layer) or Silent CT (the quietest laminate flooring)
- Suitable for use with underfloor heating and cooling
- Double moisture protection due to aquaTec system



www.blauer-engel.de/uz176



Brand new: The HARO Room Visualiser. Simply take a photo of the room, select your favourite floor and experience in real time how a HARO Laminate Floor looks in your home. **Now at www.haro.com or in the HARO digital! app**



100

GV

4
a
soft

HARO TRITTY 100
Gran Via 4V
OAK EMILIA VELVET GREY
AUTHENTIC SOFT
(wood reproduction)

FLOOR
EXPERIENCE
2.0



100

GV

4
a

HARO TRITTY 100
Gran Via 4V
OAK ITALICA CREME
authentic
(wood reproduction)



100

GV



HARO TRITTY 100
 Gran Via 4V
 OAK ITALICA SMOKED
 authentic
 (wood reproduction)

HARO LAMINATE FLOOR TRITTY 100 GRAN VIA 4V:

Hardly distinguishable from original parquet. The most beautiful wood designs are made with great expertise and attention to detail. The surface textures were specially developed to create an authentic and especially natural look and feel.



100

GV



HARO TRITTY 100
 Gran Via 4V
 OAK ANTIQUE GREY
 authentic
 (wood reproduction)



100

GV

4
S
m

HARO TRITTY 100
Gran Via 4V
VINTAGE OAK
textured matt
(wood reproduction)



HARO LAMINATE FLOORS ARE EASY TO CLEAN AND MAINTAIN

It is not only the authentic wood reproductions and the elaborate finishing of our laminate floors that are convincing – HARO also sets standards when it comes to cleaning and care. Our specially developed ecological floor cleaning concentrate 'active' from the clean & green care series is easy to use and environmentally friendly – use the measuring cap to add a small amount to the cleaning water, mop the floor with a cloth (well wrung out), done. To maintain the value of your laminate floor over many years to come, apply undiluted aqua shield.

clean & green
Quick, easy and natural care and maintenance of all floors



100

GV




HARO TRITTY 100
Gran Via 4V
OAK PORTLAND GREY
authentic
(wood reproduction)



100

GV



HARO TRITTY 100
Gran Via 4V
OAK EMILIA VELVET BROWN
authentic soft
(wood reproduction)



100

GV

4

a

soft

HARO TRITTY 100
 Gran Via 4V
 OAK BERGAMO NATURE
 authentic soft
 (wood reproduction)



100

GV


4

a

m

HARO TRITTY 100
 Gran Via 4V
 ALPINE OAK NATURE
 authentic matt
 (wood reproduction)





HARO Laminate Floor TRITTY consists of 80% wood and is free from PVC and plasticisers.



HARO TRITTY 100
Gran Via 4V
OAK CONTURA STONE GREY
authentic
(wood reproduction)





With our range of original HARO accessories you can be certain that they are both visually and technically perfectly adapted to your laminate floor and always manufactured in the same consistently high quality.



100

GV



HARO TRITTY 100
Gran Via 4V
OAK VENETO CREMA
authentic matt
(wood reproduction)



100

GV



HARO TRITTY 100
Gran Via 4V
OAK PORTLAND SMOKED
authentic
(wood reproduction)



100

GV

4
a


HARO TRITTY 100
Gran Via 4V
OAK PORTLAND PURO
authentic
(wood reproduction)



100

GV

HARO TRITTY 100
Gran Via 4V
CHESTNUT BIANCO
textured matt
(wood reproduction)



HARO Laminate Floors are not only particularly beautiful, but also antistatic and highly resistant to abrasion – ideal for offices.






100

GV

HARO TRITTY 100
Gran Via 4V
ITALIAN WALNUT
pores matt
(wood reproduction)





100

GV

4
a

HARO TRITTY 100
Gran Via 4V
OAK PORTLAND NATURE
authentic
(wood reproduction)



HARO Laminate Floor with Silent CT – the quietest laminate floor in the world; 60% quieter than standard laminate floors.



100

GV

4

a

soft


HARO TRITTY 100
Gran Via 4V
OAK BERGAMO CARBON
authentic soft
(wood reproduction)

3-STRIP
PLANK 1-STRIP
LOFT 4V
CAMPUS 4V

TRITTY 100

*The tough laminate floor with
a huge variety*

- Particularly durable due to the thickness of 8 mm (5/16") and the level of use 32
- Available with Silent Pro (luxury insulation layer) or Silent CT (the quietest laminate floor)
- Suitable for use over underfloor heating and cooling
- Double moisture protection due to aquaTec system



www.blauer-engel.de/uz176



3-STRIP, PLANK 1-STRIP THE CLASSIC FOR BEAUTIFUL LIVING

- Oak 3-Strip in a light, natural play of colours
- Plank 1-Strip for a harmonious room ambience
- Classic board format
193 x 1282 mm (7 19/32" x 50 15/32")



100

PL

4
soft
m

HARO TRITTY 100
Plank 1-Strip 4V
STONEWOOD CREME
soft matt
(wood reproduction)



100

PL



HARO TRITTY 100
Plank 1-Strip 4V
OAK CONTURA STONE GREY
authentic
(wood reproduction)



100

3-Strip



HARO TRITTY 100
3-Strip
OAK PREMIUM CREME
authentic
(wood reproduction)



100

PL

p
m

HARO TRITTY 100
Plank 1-Strip
ITALIAN WALNUT
pores matt
(wood reproduction)



100

PL

p

HARO TRITTY 100
Plank 1-Strip
SYCAMORE MAPLE
pores
(wood reproduction)



100

PL

4
S
m

HARO TRITTY 100
Plank 1-Strip 4V
CHESTNUT IMPRESSO
textured matt
(wood reproduction)



Cleaning and maintenance in one go: with clean & green, your laminate floor will keep its lasting beauty.

clean & green[®]
Quick, easy and natural care and maintenance of all floors



100

PL



HARO TRITTY 100
Plank 1-Strip 4V
OAK PORTLAND GREY
authentic
(wood reproduction)



100

PL

HARO TRITTY 100
Plank 1-Strip 4V
OAK ITALICA NATURE
authentic
(wood reproduction)



Brand new: The HARO Room Visualiser. Simply take a photo of the room, select your favourite floor and experience in real time how a HARO Laminate Floor looks in your home. **Now at www.haro.com or in the HARO digital! app**



100

PL

HARO TRITTY 100
Plank 1-Strip 4V
OAK PORTLAND PURO
authentic
(wood reproduction)





100

PL



HARO TRITTY 100
Plank 1-Strip 4V
OAK BERGAMO CARBON
authentic soft
(wood reproduction)



100

PL

HARO TRITTY 100
Plank 1-Strip 4V
OAK EMILIA HONEY
authentic soft
(wood reproduction)



THE PARTICULARLY VELVETY 'SOFT' SURFACE

- Easy to clean
- Particularly hard-wearing
- A pleasantly soft feel
- Particularly authentic surface texture,
just like original parquet



100

PL



HARO TRITTY 100
Plank 1-Strip 4V
OAK ITALICA SMOKED
authentic
(wood reproduction)



100

PL



HARO TRITTY 100
Plank 1-Strip 4V
OAK CONTURA SMOKED
authentic
(wood reproduction)

LOFT 4V THE TOUGH ONE: NARROW AND ELEGANT

- Also ideal for smaller rooms
- Extremely quick and easy to install through Top Connect
- Available with Silent Pro (luxury insulation layer) or Silent CT (the quietest laminate floor)
- Dimensions: 8 x 135 x 1282 mm (5/16" x 5 5/16" x 50 15/32")




100

Loft

4
a
soft

HARO TRITTY 100
Loft 4V
OAK EMILIA WHITE
authentic soft
(wood reproduction)




Loft 4V looks especially elegant thanks to its slim format of 135 mm (5 5/16") in width and a length of 1282 mm (50 15/32").



100

Loft




HARO TRITTY 100
Loft 4V
ITALIAN WALNUT
pores matt
(wood reproduction)



100

Loft



HARO TRITTY 100
Loft 4V
OAK EMILIA LIGHT GREY
authentic soft
(wood reproduction)



100

Loft



HARO TRITTY 100
Loft 4V
OAK PORTLAND PURO
authentic
(wood reproduction)

CAMPUS 4V THE TOUGH ONE: EXTRA WIDE

- The wide format also gives vibrant styles a harmonious look
- Extremely quick and easy to install through Top Connect
- Available with Silent Pro (luxury insulation layer) or Silent CT (the quietest laminate floor)
- Dimensions: 8 x 243 x 1282 mm (5/16" x 9 9/16" x 50 15/32")



100

Campus

4
a
soft

HARO TRITTY 100
Campus 4V
OAK BERGAMO ANTIQUE SMOKED
authentic soft
(wood reproduction)



100

Campus



HARO TRITTY 100
Campus 4V
ALPINE OAK NATURE
authentic matt
(wood reproduction)



100

Campus

4

a

soft

HARO TRITTY 100
Campus 4V
OAK EMILIA PURO
authentic soft
(wood reproduction)



100

Campus


4

a

soft

HARO TRITTY 100
Campus 4V
OAK BERGAMO SILVER GREY
authentic soft
(wood reproduction)

Campus 4V. Spacious look due to wide boards and easy to install thanks to Top Connect.



100

Campus

4

a

soft

HARO TRITTY 100
Campus 4V
OAK EMILIA VELVET WHITE
authentic soft
(wood reproduction)


PLANK 1-STRIP 4V
GRAN VIA 4V

TRITTY 200 Aqua




*The premium laminate floor
with extra moisture protection*

- Suitable for damp rooms
- With its level of use 33, the highest abrasion class AC 6 and a thickness of 8 mm (5/16"), it is particularly hard-wearing and abrasion-resistant.
- Extremely quick and easy to install through Top Connect
- Available with Silent Pro (luxury insulation layer) or Silent CT (the quietest laminate floor)
- Suitable for use with underfloor heating and cooling
- Double moisture protection due to aquaTec system
- Dimensions: 8 x 193 x 1282 mm (5/16" x 7 19/32" x 50 15/32") and 8 x 243 x 2200 mm (5/16" x 9 9/16" x 86 5/8")




www.blauer-engel.de/uz176





Thanks to aquaTec moisture protection, TRITTY 200 Aqua is also suitable for bathrooms and creates an entirely new and natural feeling of wellness in usually sterile-looking damp areas.



200
Aqua

PL



HARO TRITTY 200 Aqua
Plank 1-Strip 4V
OAK CONTURA SMOKED*
authentic
(wood reproduction)



200
Aqua

GV

4
a

HARO TRITTY 200
Gran Via 4V 4V
OAK CONTURA STONE GREY
authentic
(wood reproduction)





200
Aqua

PL

4
a

HARO TRITTY 200 Aqua
Plank 1-Strip 4V
OAK PORTLAND NATURE
authentic
(wood reproduction)



TIMELESS BEAUTY, RIGHT ON TREND

The eight new TRITTY 200 AQUA styles Veneto and Portland Nature, Emilia Velvet Grey, Amber, Honey and Puro, as well as Contura Stone Grey and Smoked open up entirely new creative design options. For a trendy look that is alive with authentic, natural and of timeless elegance.



200
Aqua

GV

4
a
m

HARO TRITTY 200
Gran Via 4V
OAK VENETO NATURE
authentic matt
(wood reproduction)

Oak creates a particularly comfortable atmosphere in the kitchen and dining room. See how harmonious a HARO Laminate Floor looks in your home right now – at the touch of a button with the HARO Room Visualizer at www.haro.com or in the HARO digital! app



200
Aqua

GV

4
a
m

HARO TRITTY 200 Aqua
Gran Via 4V
OAK SICILIA PURO
authentic matt
(wood reproduction)





200
Aqua

GV

4
a
m

HARO TRITTY 200 Aqua
Gran Via 4V
OAK VENETO HONEY
authentic matt
(wood reproduction)



HARO LAMINATE FLOORS ARE EASY TO CLEAN AND MAINTAIN

The fact that our laminate floors are so easy to clean and maintain also reflects their high quality. Cleaning them with a vacuum cleaner or a broom is usually completely sufficient for regular cleaning. Dirt can be removed with the 'clean & green active' eco-cleaner: Simply wipe the floor with a damp cloth, let it dry, and you are done. And if it needs a bit of a shine up, we recommend 'clean & green aqua shield'. This eco-care product maintains the shine of your laminate floor for years and even removes small scratches.

clean & green®
Quick, easy and natural care and maintenance of all floors



200
Aqua

GV

4
a
soft

HARO TRITTY 200 Aqua
Gran Via 4V
OAK EMILIA VELVET GREY
authentic soft
(wood reproduction)





200
Aqua

GV

4
a
soft

HARO TRITY 200 Aqua
Gran Via 4V
OAK EMILIA AMBER
authentic soft
(wood reproduction)

moisture
protection


Our authentic surface textures make it possible: laminate floors that feel exactly the way they look. A sensual experience in a class of its own – now even for damp rooms.



200
Aqua

PL

HARO TRITTY 200
Plank 1-Strip 4V
OAK EMILIA PURO
authentic soft
(wood reproduction)





TRITTY 200 AQUA brings a natural wood look, modern styles, and trendy formats to the bathroom, kitchen and entrance area. With extra moisture protection thanks to aquaTec System.



200
Aqua

GV

4

a

m

HARO TRITTY 200 Aqua
Gran Via 4V
OAK VENETO SAND
authentic matt
(wood reproduction)





200
Aqua

PL

4
a
m

HARO TRITTY 200
Plank 1-Strip 4V
OAK VENETO HONEY
authentic matt
(wood reproduction)




200
Aqua

GV



HARO TRITTY 200 Aqua
Gran Via 4V
OAK SICILIA NATURE
authentic matt
(wood reproduction)




Crashing pots and cutlery falling to the floor - things can get quite noisy in the kitchen and dining area. Fortunately, HARO Laminate Floors reduce room and footfall sound by up to 60 % thanks to Silent Pro or Silent CT.



200
Aqua

GV



HARO TRITTY 200 Aqua
Plank 1-Strip 4V
OAK SICILIA PURO
authentic matt
(wood reproduction)





200
Aqua

PL

4
a
soft

HARO TRITTY 200 Aqua
Plank 1-Strip 4V
OAK EMILIA HONEY
authentic soft
(wood reproduction)






200
Aqua

GV

4
a
m

HARO TRITTY 200 Aqua
Gran Via 4V
OAK VENETO MOCCA
authentic matt
(wood reproduction)



The extra-long and extra-wide plank format Gran Via makes small rooms appear larger and creates an inviting ambience with an airy, visual expanse.

HARO ACCESSORIES




HARO ACCESSORIES ALWAYS MATCH. HARO not only offers beautiful, high-quality laminate floors that are 'hard-wearing' and easy to clean – we also offer the matching accessories for your laminate floor. Manufactured in the same quality and perfectly matched to the look and characteristics of your laminate floor – for a better feeling when you restyle your home. From skirtings to insulation underlays – we offer a wide range of accessories for every requirement from a single source.





SKIRTINGS/MOULDINGS





"THE BEAUTIFUL SKIRTINGS ADD THE
FINAL TOUCH TO MY NEW LAMINATE FLOOR."

Skirtings and mouldings are very important details to create a harmonious overall impact of the room. In our range of accessories, you will find numerous options to give your desired laminate floor the finishing touch, both visually and technically. For the TRITTY 200 Aqua Series, it is, of course, also available in a water-resistant variant.



19 x 58 mm (3/4" x 2 9/32")



16 x 58 mm (5/8" x 2 9/32")



15 x 80 mm (19/32" x 3 5/32")

TRANSITION MOULDING – STYLISH TRANSITIONS FROM DISTINCTIVE TO SUBTLE

When installing different floors, a matching transition is an important factor, both visually and haptically. For this, we offer transition mouldings in various colour designs. You can either set striking accents or create subtle transitions. Our transition mouldings can also create a perfect transition if the floors slightly differ in height.



STAIR NOSING





"THE WAY THE STAIRCASE NATURALLY
BLEND INTO THE ROOM IS A REAL
EYE-CATCHER."

Stair nosings create a wonderful connection: they merge staircases into the room to create an aesthetic whole. This gives open room concepts an elegant and harmonious look, making Laminate Floor TRITTY 100 and TRITTY 200 Aqua an ideal alternative for elegant living.



Stair nosing with
edge protection

INSULATION UNDERLAYS



We generally recommend an insulation underlay for all hard subfloors. They increase the elasticity of the floor, absorb indoor and footfall noise, and level out minor irregularities of the floor.



SILENT PRO INSULATION LAYER

Our Silent Pro insulation layer offers excellent insulation against footfall and room sound. The high elasticity provided by the mineral fillers creates a pleasant "forest floor effect".

We particularly recommend the integrated insulation layer on the back of the board (available for areas over 10 sq.m). Due to the fixed connection between parquet board and the insulation underlay, an impairment of the insulating effect due to cavities or gaps is avoided.

Another advantage: Installation and insulation are carried out in a single work step.



It is very pleasant, when the sound level in the room is perceptibly reduced.

INDOOR SOUND REDUCTION 30%*

FOOTFALL SOUND REDUCTION 18 DB**

The fact that your steps do not sound like thunder will be especially pleasing for your neighbours.

* Maximum individual values achieved in accordance with the EPLF Impact Hammer test (compared to reference floor)
** In accordance with DIN 140-8

HARO VAPO STOP VAPOUR BARRIER

Provides added moisture protection and should be installed under all insulation underlays that have no integrated vapour barrier. Penetration of residual moisture from the subfloor is prevented and the floor is protected against possible moisture damage. Also suitable for installation over underfloor heating.





"I NEVER THOUGHT IT WOULD BE SO EASY TO MAKE A LAMINATE FLOOR SO QUIET."

THE WORLD'S QUIETEST LAMINATE FLOOR



HARO TRITTY SILENT CT

Forget annoying stomping, heel clacking and other sounds! Our recently developed Silent CT system reduces room sound by a sensational 60% compared to standard floating laminate floors with insulation. This is the result of HARO's ComforTec innovation for a full glue-down installation with the subfloor. The result: You can walk with the pleasant feeling and acoustics of a glued-down floor.

- 60% quieter
- Can be installed without tools thanks to TopConnect
- Suitable for use with underfloor heating
- Warranty up to 25 years
- Available in the Series TRITTY 90, TRITTY 100 and TRITTY 200 Aqua.



Audibly quieter – as proved by independent sound level tests:



* Tested and certified by the state-certified testing centre of the Entwicklungs- und Prüflabor Holztechnologie GmbH in Dresden

EPLF Impact Hammer IHD Walking Lady



Heimwerker-magazin (DIY magazine) Laminate floor test winner-"Very good"




HolzLand Award 2010 "Most innovative product for consumers"

INSTALLATION







5G Fold Down locking system



ANGLE IN



PRESS DOWN



DONE

PROBABLY THE WORLD'S EASIEST
INSTALLATION SYSTEM:
TOP CONNECT

All those who have always wanted to install their own laminate floor but have never dared to can now get the real hands-on experience. With Top Connect, which is possibly the world's easiest installation system, it is easy to create the most beautiful floor designs with extraordinary stability. The boards are angled in at

the long sides and interlocked at the short sides with a small amount of pressure. The floor fits perfectly and is ready to be "lived on" immediately. It is just as easy to take out if you move house.


UNDERFLOOR HEATING/ UNDERFLOOR COOLING

Our Laminate Floors are not only suitable for installation over underfloor heating and cooling, they are actually ideal for it. The technical construction of our floors ensures that warmth and cooling can easily get through. This means you can save heating costs and enjoy pleasantly regulated underfoot warmth during the heating period, and a comfortable room temperature in warmer months.



CARE

EASY CARE THAT MAINTAINS BEAUTY AND VALUE: By using clean & green, you are doing everything right. This range of care products is specially designed for HARO Laminate Floors and can be used without worry. With clean & green, you not only clean and maintain your floor, but can also be certain that you are preserving its value. You do not have worry about whether these products are too strong for the surfaces or leave marks. In addition, they are in no way harmful to the environment and meet the highest requirements of Ecolabel and the Blue Angel.



Intensive Cleaner active

Eco floor cleaner concentrate.
For the basic cleaning of laminate floors.

Floor Care aqua shield

Durable refurbishing and
protection of laminate floors.



"I'M DELIGHTED AT HOW QUICK AND EASY IT IS TO CLEAN MY FLOOR – WITHOUT HAVING TO USE ANY HARMFUL SUBSTANCES."



www.blauer-engel.de/uz12a



CONSTRUCTION



CONSTRUCTION HARO SPECIAL EDITION
NKL31, TRITTY 90/100

BEAUTIFUL FROM THE OUTSIDE –
QUALITY ON THE INSIDE

HARO Laminate Floor has been a lasting success story for over 25 years. This is not only due to particularly authentic wood reproductions, but also because of the high quality and elaborate technical construction of our laminate floors.

1. Overlay with special impregnation (durable protective layer)
2. Decorative laminate with special impregnation
3. Special moisture control HDF-E1 coreboard aquaResist
4. Balancing laminate
5. Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)



CONSTRUCTION HARO TRITTY 200 AQUA

1. Overlay with special impregnation (durable protective layer)
2. Decorative laminate and sheets of kraft paper with special impregnation
3. Special moisture control HDF-E1 coreboard aquaResist
4. Several sheets of balancing laminate (moisture repellent)
5. Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)

The overlay (the upper layer) is almost as hard as a diamond and is hard to beat when it comes to durability, scratch resistance and strength.

The decorative layer made out of a special lightfast paper guarantees a high grade of naturalness and bright, brilliant colours - this is owed to the process in which it is elaborately printed and soaked in melamine resin.

The softwood coreboard ensures maximum dimensional stability and protection from moisture.

The balancing laminate on the back of the laminate floorboard balances out the tension to the overlay. It prevents the boards from warping and offers additional moisture protection.



"THERE IS A SUITABLE LAMINATE FLOOR FOR EVERY LIVING SPACE – EVEN WITH MOISTURE PROTECTION."

RECOMMENDED AREAS OF USE

THE RIGHT SERIES FOR EVERY NEED

No matter what your requirements are, you will find a laminate floor for your taste at HARO – always with a quality that meets the highest standards. Here you can see at a glance which series best suits your needs.

SPECIAL EDITION NKL 31



For residential applications with high traffic and commercial applications with low traffic

TRITTY 90



For residential applications with high traffic and commercial applications with medium traffic

TRITTY 100



For residential applications with high traffic and commercial applications with medium traffic

TRITTY 200 AQUA



For high-traffic residential and commercial applications

Residential applications	Bedroom	recommended	recommended	recommended	recommended
	Children's room	recommended	recommended	recommended	recommended
	Dining room	recommended	recommended	recommended	recommended
	Living room	recommended	recommended	recommended	recommended
	Corridor	possible	recommended	recommended	recommended
	Kitchen	possible	recommended	recommended	recommended
Commercial applications	Office		recommended	recommended	recommended
	Hotel room		recommended	recommended	recommended
	Conference room		recommended	recommended	recommended
	Doctor's practice		possible	possible	recommended
	Reception area				recommended
	Sales area				recommended
			recommended	possible	

TRITTY 200 AQUA - ALSO SUITABLE FOR DAMP AREAS

THE NEW TRITTY 200 AQUA SERIES OFFERS ADDITIONAL SECURITY.

Due to the aquaReject moisture-control coreboard, the floor is optimally protected against moisture and also approved for installation in damp rooms (W0-1 in accordance with DIN 18534), such as domestic bathrooms or kitchens. Due to its special impregnation and the highest degree of resistance against swelling, TRITTY 200 Aqua can withstand standing tap water for up to 4 hours. Thanks to the high level of use 23/33, the floor is also ideally suitable for areas subject to particularly heavy traffic, such as hallways or kitchens.

- It is not suitable for installation in wet areas such as showers or saunas.
- Please note: The subfloor moisture must comply with the standard specifications for installation.
- The installation instructions must always be followed carefully.



SE
NKL
31

HARO SPECIAL EDITION NKL 31 – THE PERFECT STARTER MODELS

For young living - for example for your first own apartment: High quality at a good price.

Specifications:

Level of Use: 23/31
Abrasion class: AC3
Impact class: IC1
Scratch resistance: Grade 3
Electrostatic behaviour:
Antistatic class: ASF2
Warranty: 15 years in residential applications
Dimensions**: 7 x 193 x 1282 mm (9/32" x 7 19/32" x 50 15/32") with Silent Pro luxury insulation layer: 2 mm (3/32") higher
Room sound improvement: approx. 30 %*
Footfall sound reduction: 18 dB



90

HARO TRITTY 90 – TRENDY FLOOR DESIGN – BEAUTIFUL AND DURABLE

Our new TRITTY 90 Series offers fresh ideas for trendy living. The construction makes the laminate floors of the Tritty 90 Series highly durable. With modern styles and the new soft matt surface finish, it meets the requirements of modern interior trends to a particularly high degree.

Specifications:

Level of Use: 23/32
Abrasion class: AC4
Impact class: IC2
Scratch resistance: Grade 4
Electrostatic behaviour:
Antistatic class: ASF2
Warranty: 20 years in residential applications, 5 years in commercial applications
Dimensions**: 7 x 193 x 1282 mm (9/32" x 7 19/32" x 50 15/32") with Silent Pro luxury insulation layer: 2 mm (3/32") higher
Room sound improvement: approx. 30 %*
Footfall sound reduction: 18 dB
with Silent CT: 2 mm (3/32") higher
Room sound improvement: 60 %*
Footfall sound reduction: 14 dB



5G Fold Down locking system

100

HARO TRITTY 100 – THE TOUGH LAMINATE FLOOR WITH THE HUGE CHOICE

Authentic solid wood appearance and surfaces, tough and durable, in four different formats – the Laminate Floors from the 100 Series satisfy all needs. The Silent CT technology even makes the TRITTY 100 Series the world's quietest laminate floor. And thanks to Top Connect, the enjoyment already starts with the installation.

Specifications:

Level of Use: 23/32
Abrasion class: AC4
Impact class: IC2
Scratch resistance: Grade 4
Electrostatic behaviour:
Antistatic class: ASF2
Warranty: 25 years in residential applications, 5 years in commercial applications
Dimensions**: Plank 1-Strip/3-Strip: 8 x 193 x 1282 mm (5/16" x 7 19/32" x 50 15/32")
Loft 4V: 8 x 135 x 1282 mm (5/16" x 5 5/16" x 50 15/32")
Campus 4V: 8 x 243 x 1282 mm (5/16" x 9 9/16" x 50 15/32")
Gran Via 4V: 8 x 243 x 2200 mm (5/16" x 9 9/16" x 86 5/8")
with Silent Pro luxury insulation layer: 2 mm (3/32") higher
Room sound improvement: approx. 30 %*
Footfall sound reduction: 18 dB
with Silent CT: 2 mm / 3/32" higher
Room sound improvement: 60 %*
Footfall sound reduction: 14 dB



5G Fold Down locking system

200
Aqua

HARO TRITTY 200 AQUA – THE LAMINATE FLOOR WITH ADDITIONAL MOISTURE PROTECTION

Thanks to the high level of use, the floor is also perfectly suitable for areas with particularly heavy traffic, such as the hallway or the kitchen.

Specifications:

Level of Use: 23/33
Abrasion class: AC5
Impact class: IC3
Scratch resistance: Grade 5
Electrostatic behaviour:
Antistatic class: ASF2
Warranty: 25 years in residential applications, 10 years in commercial applications
Dimensions**: Plank 1-Strip: 8 x 193 x 1282 mm (5/16" x 7 19/32" x 50 15/32") with Silent Pro luxury insulation layer: 2 mm (3/32") higher:
Gran Via 4V: 8 x 243 x 2200 mm (5/16" x 9 9/16" x 86 5/8")
with Silent Pro luxury insulation layer: 2 mm (3/32") higher
Room sound improvement: approx. 30 %*
Footfall sound reduction: 18 dB
with Silent CT: 2 mm / 3/32" higher
Room sound improvement: 60 %*
Footfall sound reduction: 14 dB



5G Fold Down locking system

* Measured by EPLF Impact Hammer/Walking Lady tests (compared to reference floor)

** Thickness x Width x Length



"HARO LAMINATE FLOORS: SUPERIOR IN ALL CRITERIA COMPARED TO THE STANDARDS."

PROPERTIES LAMINATE FLOOR

SPECIALLY IMPREGNATED TOP LAYER















One quality feature of our laminate floors is the high UV resistance. Due to their special impregnation, the colours remain stable when exposed to sunlight and do not lose their brightness. Another advantage of the impregnation is the resistance to stains and scratches. The high durability of the top layer also prevents the surface from long-term abrasion damage (e.g. through chairs being moved) or heat (e.g. from cigarette burns). In general, the HARO quality guidelines are specified in such a way that they exceed standards by far.




MOISTURE PROTECTION

AQUATEC – DOUBLE MOISTURE PROTECTION

Their well-balanced multilayer construction ensures that HARO Laminate Floors remain stable at all times. Also, the special aquaTec system gives you the guarantee that they will always stay in good shape. This is achieved by connecting the aquaResist special moisture control HDF coreboard with a specially impregnated protective coat (overlay and style). TRITTY 200 Aqua uses the special aquaReject coreboard, which allows installation even in damp rooms.

	Outstanding visual impact		Double moisture protection due to aquaTec system
	Excellent price/performance ratio		Abrasion resistant
	Dimensionally stable and perfect fit		Hardly flammable (Cfl-S1), tested in acc. with DIN EN 13501-1
	Suitable for use with underfloor heating and cooling		Impact and compression resistant
	Antistatic		Resistant to cigarette burn marks
	Extremely scratch-resistant		Optionally integrated sound insulation
	Resistant to fading under UV light		Dirt-repellent and easy to maintain

Laminate floor edge swelling when exposed to water



Range Overview HARO Laminate Floor Special edition NKL 31



Plank 1-Strip
OAK SIENA VELVET WHITE*
[soft] [m] ID no. 538 634



3-Strip
BEECH BEIGE*
[p] ID no. 538 630



2-Strip
OAK ENGADIN*
[s] [m] ID no. 533 098



Plank 1-Strip
OAK TIVOLI*
[soft] [m] ID no. 538 629



3-Strip
MAPLE AKZENT*
[p] ID no. 538 631



Plank 1-Strip
OAK MERAN*
[s] [m] ID no. 535 201



Plank 1-Strip
OAK DOVER*
[s] [m] ID no. 534 267




Plank 1-Strip
OAK SIENA PURO*
[soft] [m] ID no. 538 632



Plank 1-Strip
OAK MODENA*
[soft] [m] ID no. 538 633



2-Strip
GRAPHITE OAK*
[s] [m] ID no. 530 278



Plank 1-Strip
OAK OLBIA*
[soft] [m] ID no. 538 628



3-Strip
WALNUT AMBIENTE*
[p] ID no. 538 854

Range Overview Laminate Floor TRITTY 90



Plank 1-Strip 4V
OAK SAVONA WHITE*
[4] [soft] [m] ID no. 538 648



Plank 1-Strip 4V
OAK EMILIA LIGHT GREY*
[4] [a] [soft] ID no. 538 651



Plank 1-Strip 4V
OAK SAVONA NATURE*
[4] [soft] [m] ID no. 538 649



Plank 1-Strip 4V
SCANDINAVIAN OAK*
[4] [a] ID no. 535 235



Plank 1-Strip 4V
OAK LIVORNO GREIGE*
[4] [soft] [m] ID no. 538 652



Plank 1-Strip 4V
OAK TERANA*
[4] [soft] [m] ID no. 535 239



Plank 1-Strip 4V
OAK BERGAMO ANTIQUE WHITE*
[4] [a] [soft] ID no. 538 646



Plank 1-Strip 4V
OAK MELINA PURO*
[4] [soft] [m] ID no. 535 238



Plank 1-Strip 4V
OAK LIVORNO SMOKED*
[4] [soft] [m] ID no. 538 650



Plank 1-Strip
HIGHLAND OAK*
[s] [m] ID no. 538 856



3-Strip
HOLM OAK*
[a] [m] ID no. 538 855



Plank 1-Strip 4V
OAK CORONA*
[4] [s] [m] ID no. 538 645



Plank 1-Strip 4V
DESIGN WOOD HARMONY*
[4] [soft] [m] ID no. 535 237



Plank 1-Strip 4V
OAK ITALICA CREME*
[4] [a] ID no. 538 653



Plank 1-Strip
ALABAMA OAK*
[s] [m] ID no. 538 647



Plank 1-Strip 4V
OAK DOLOMITI*
[4] [s] [m] ID no. 538 654



Plank 1-Strip 4V
OAK VERANO*
[4] [s] [m] ID no. 538 655



Plank 1-Strip 4V
SMOKED OAK*
[4] [s] [m] ID no. 538 656

Range Overview HARO Laminate Floor TRITTY 100 Gran Via 4V



Gran Via 4V
OAK EMILIA WHITE*
 ID no. 538 765



Gran Via 4V
OAK EMILIA VELVET BROWN*
 ID no. 538 771



Gran Via 4V
VINTAGE OAK*
 ID no. 526 712



Gran Via 4V
CHESTNUT BIANCO*
 ID no. 530 303



Gran Via 4V
OAK EMILIA PURO*
 ID no. 538 769



Gran Via 4V
AFROMOSIA*
 ID no. 526 934



Gran Via 4V
OAK CONTURA STONE GREY*
 ID no. 531 917




Gran Via 4V
OAK PORTLAND PURO*
 ID no. 533 140




Gran Via 4V
OAK PORTLAND AMBER*
 ID no. 533 142



Gran Via 4V
HIGHLAND OAK*
 ID no. 538 768



Gran Via 4V
OAK ITALICA CREME*
 ID no. 530 693



Gran Via 4V
OAK ITALICA SMOKED*
 ID no. 530 333



Gran Via 4V
OAK EMILIA VELVET GREY*
 ID no. 538 770




Gran Via 4V
OAK EMILIA HONEY*
 ID no. 538 772



Gran Via 4V
ITALIAN WALNUT*
 ID no. 526 714



Gran Via 4V
ALPINE OAK GREY*
 ID no. 526 711



Gran Via 4V
ALPINE OAK NATURE*
 ID no. 526 709



Gran Via 4V
OAK CONTURA SMOKED*
 ID no. 538 773



Gran Via 4V
OAK PORTLAND GREY*
 ID no. 533 139



Gran Via 4V
OAK PORTLAND NATURE*
 ID no. 533 141




Gran Via 4V
OAK BERGAMO CARBON*
 ID no. 538 767



Gran Via 4V
OAK ANTIQUE GREY*
 ID no. 526 704




Gran Via 4V
OAK BERGAMO NATURE*
 ID no. 538 766



Gran Via 4V
OAK CONTURA BLACK*
 ID no. 533 144





Gran Via 4V
OAK VENETO CREMA*
 ID no. 535 269






Gran Via 4V
OAK ITALICA NATURE*
 ID no. 530 338

Range Overview Laminate Floor TRITTY 100 Plank 1-Strip/3-Strip





Plank 1-Strip 4V
OAK EMILIA WHITE*


 ID no. 538 689





Plank 1-Strip 4V
OAK EMILIA PURO*


 ID no. 538 691




Plank 1-Strip 4V
OAK ITALICA NATURE*

 ID no. 530 335






Plank 1-Strip 4V
OAK CONTURA STONE GREY*

 ID no. 538 696






3-Strip
OAK PREMIUM CREME*
 ID no. 526 661




Plank 1-Strip 4V
VINTAGE OAK*


 ID no. 526 678





Plank 1-Strip 4V
STONEWOOD CREME*


 ID no. 538 690



Plank 1-Strip 4V
OAK PORTLAND PURO*

 ID no. 533 122





Plank 1-Strip
ITALIAN WALNUT*

 ID no. 526 682




Plank 1-Strip 4V
OAK EMILIA VELVET GREY*


 ID no. 538 695




Plank 1-Strip 4V
OAK ITALICA CREME*

 ID no. 538 920






Plank 1-Strip
IROKO*
 ID no. 529 052





Plank 1-Strip 4V
OAK PORTLAND GREY*

 ID no. 533 121



Plank 1-Strip 4V
OAK EMILIA HONEY*


 ID no. 538 692





Plank 1-Strip 4V
OAK ITALICA SMOKED*

 ID no. 530 327





Plank 1-Strip
OAK ANTIQUE GREY*
 ID no. 526 671



Plank 1-Strip
OAK ELEGANCE*
 ID no. 526 668




Plank 1-Strip 4V
OAK CONTURA SMOKED*

 ID no. 538 697



Plank 1-Strip 4V
OAK VENETO CREMA*





 ID no. 535 261



Plank 1-Strip
ALPINE OAK NATURE*

 ID no. 526 676





Plank 1-Strip 4V
OAK BERGAMO CARBON*


 ID no. 538 694




Plank 1-Strip 4V
CHESTNUT IMPRESSO*


 ID no. 526 680






Plank 1-Strip 4V
OAK PORTLAND NATURE*

 ID no. 533 123



Plank 1-Strip
SYCAMORE MAPLE*
 ID no. 525 659



Plank 1-Strip 4V
OAK BERGAMO NATURE*


 ID no. 538 693

Range Overview Laminate Floor HARO TRITTY 100 Loft 4V



Loft 4V
OAK EMILIA WHITE*
4 a soft ID no. 538 716



Loft 4V
OAK EMILIA LIGHT GREY*
4 a soft ID no. 538 717



Loft 4V
ITALIAN WALNUT*
4 p m ID no. 535 372



Loft 4V
SCANDINAVIAN OAK*
4 a ID no. 538 718



Loft 4V
OAK PORTLAND PURO*
4 a ID no. 538 722



Loft 4V
OAK CONTURA SMOKED*
4 a ID no. 538 721



Loft 4V
OAK VENETO CREMA*
4 a m ID no. 538 719



Loft 4V
OAK EMILIA HONEY*
4 a soft ID no. 538 720

Range Overview HARO Laminate Floor TRITTY 100 Campus 4V



Campus 4V
OAK EMILIA VELVET WHITE*
4 a soft ID no. 538 751



Campus 4V
OAK EMILIA PURO*
4 a soft ID no. 538 750



Campus 4V
OAK BERGAMO NATURE*
4 a soft ID no. 538 747



Campus 4V
OAK BERGAMO SILVER GREY*
4 a soft ID no. 538 748



Campus 4V
OAK ITALICA CREME*
4 a ID no. 532 060



Campus 4V
OAK BERGAMO ANTIQUE SMOKED*
4 a soft ID no. 538 749



Campus 4V
OAK LIGURIA GREIGE*
4 soft m ID no. 538 752



Campus 4V
ALPINE OAK NATURE*
4 a m ID no. 532 063

Range Overview HARO Laminate Floor TRITTY 200 Aqua

Plank 1-Strip 4V/Gran Via 4V



Plank 1-Strip 4V
OAK SICILIA WHITE*
   ID no. 537 368





Plank 1-Strip 4V
OAK VENETO SAND*
   ID no. 537 369






Plank 1-Strip 4V
OAK VENETO MOCCA*
   ID no. 537 373



Plank 1-Strip 4V
OAK PORTLAND NATURE*
  ID no. 540 245

Gran Via 4V
OAK SICILIA WHITE*
   ID no. 537 374

Gran Via 4V
OAK VENETO SAND*
   ID no. 537 375



Gran Via 4V
OAK VENETO MOCCA*
   ID no. 537 379

Gran Via 4V
OAK PORTLAND NATURE*
  ID no. 540 272






Plank 1-Strip 4V
OAK EMILIA VELVET WHITE*
   ID no. 539 147






Plank 1-Strip 4V
OAK PORTLAND PURO*
  ID no. 539 146



Plank 1-Strip 4V
OAK SICILIA NATURE*
   ID no. 537 371



Plank 1-Strip 4V
OAK EMILIA AMBER*
   ID no. 540 241



Gran Via 4V
OAK EMILIA VELVET WHITE*
   ID no. 539 149

Gran Via 4V
OAK PORTLAND PURO*
  ID no. 539 148




Gran Via 4V
OAK SICILIA NATURE*
   ID no. 537 377

Gran Via 4V
OAK EMILIA AMBER*
   ID no. 540 268



Plank 1-Strip 4V
OAK CONTURA STONE GREY*
  ID no. 540 239





Plank 1-Strip 4V
OAK EMILIA PURO*
   ID no. 540 243



Plank 1-Strip 4V
OAK EMILIA HONEY*
   ID no. 540 242



Plank 1-Strip 4V
OAK VENETO HONEY*
   ID no. 537 372

Gran Via 4V
OAK CONTURA STONE GREY*
  ID no. 540 266

Gran Via 4V
OAK EMILIA PURO*
   ID no. 540 270




Gran Via 4V
OAK EMILIA HONEY*
   ID no. 540 269

Gran Via 4V
OAK VENETO HONEY*
   ID no. 537 378




Plank 1-Strip 4V
OAK EMILIA VELVET GREY*
   ID no. 540 244




Plank 1-Strip 4V
OAK SICILIA PURO*
   ID no. 537 370






Plank 1-Strip 4V
OAK VENETO NATURE*
   ID no. 540 246





Plank 1-Strip 4V
OAK CONTURA SMOKED*
  ID no. 540 240

Gran Via 4V
OAK EMILIA VELVET GREY*
   ID no. 540 271

Gran Via 4V
OAK SICILIA PURO*
   ID no. 537 376

Plank 1-Strip 4V
OAK VENETO NATURE*
   ID no. 540 273

Plank 1-Strip 4V
OAK CONTURA SMOKED*
  ID no. 540 267

*Wood reproduction

PRODUCT VARIETY FROM HARO

In its diversity, wood is a fascinating material. We stand by our passion for wood, using its natural appeal, powerful ambience, and diverse characteristics in our products to create the foundation for stylish living.



HARO PARQUET
Our Parquet Floors are made exclusively of wood of the highest quality. With HARO Parquet, you can lastingly enhance your rooms and enjoy the highest level of living comfort for many years to come.



DISANO BY HARO
DISANO is not only the perfect solution for modern and vibrant living. DISANO contributes to a healthy living environment and is 100% free from PVC and plasticisers.



HARO INTERIOR
With HARO Interior, you can also use the natural charisma of precious wood for wall design and panelling on the sides of the stairs. As a perfect eye-catcher, you will also find our "HARO Table" in this range.



PARKETTMANUFAKTUR BY HARO
What emerges here from masterful craftsmanship are floors that are unsurpassed when it comes to elegance and uniqueness. With real workmanship, the most precious woods are processed into top class parquet floors.



CORK FLOORS
For decades, cork flooring was found almost exclusively in children's rooms and day-care centres. This was owed to its underfoot warmth and soft surface. We have made it attractive as a true alternative for stylish living.

CERTIFICATION



The fact that quality is more than just a promise can be seen in our products and their perfectly matching accessories, as well as the numerous certificates we have been awarded. They prove that transparency and diligence are paramount for us when it comes to a healthy living environment and our production processes.



HARO WARRANTY

In addition to the statutory warranty terms, HARO also provides additional warranties for various product groups. Please note the respective warranty conditions.



BLUE ANGEL ECO LABEL

The Blue Angel has certified the environmental compatibility of our products since 1992.

www.blauer-engel.de/uz176



SUSTAINABILITY

Hamberger Flooring GmbH & Co. KG has been PEFC-certified since the beginning of 2004



ISO 9001

Our quality management system has been certified in accordance with DIN EN ISO 9001:2008 since 1995. It secures workflows in the company and therefore contributes to maintaining a consistent product quality.



ISO 14001

With the certification according to DIN EN ISO 14001:2004, we have committed ourselves to active environmental management since 1998.



ISO 50001

The ISO 50001 standard is aimed at supporting companies in establishing processes and systems necessary to reduce their energy consumption and increase energy efficiency.



MADE IN GERMANY

Our quality floors are of the highest-quality German workmanship.



CE

The CE label confirms that HARO floor coverings comply with all essential European safety and health directives.



EPLF

Hamberger Flooring GmbH & Co. KG is a founding member of the Association of European Producers of Laminate Flooring.



VOC-Label

The French VOC label certifies that the emissions of HARO Laminate Floors are entirely non-hazardous.

HARO[®]
Quality Flooring

HARO LAMINATE FLOOR - SIMPLY BETTER

Hamberger Flooring GmbH & Co. KG
Postfach 100353, 83003 Rosenheim, Germany, Phone +49 8031 700-0, Fax +49 8031 700-600, Email info@haro.com
www.haro.com

609 474/01/20 GB/USA 2020 Subject to errors and modifications.

HAMBERGER[®]
FLOORING