



**HARO**

**Laminate Floors**

# A floor for any occasion

Easy to install and incredibly quiet.



**Naturally beautiful flooring**

**HA**

**Laminate  
Simply**

# RO Floors – Better

With  
Silent CT  
60% quieter  
than standard  
laminated  
floors

# Welcome to HARO

Our family business has a tradition in wood processing in Rosenheim, Bavaria, that goes back 150 years. With our love for natural wood and our high quality standards combined with modern design, we have evolved into Germany's leading flooring manufacturer.

Thinking in generations with a long-term orientation is the foundation of our daily activities – and this is what is at the heart of our products. The development and manufacturing of sustainable products are just as natural for us as a high degree of innovation and modern design. This applies to our diverse parquet floor range as well as to our laminate floors and design floors, which are free from PVC and plasticisers. We offer just the right floor for any requirement.

We are delighted to inspire you with our passion for naturally beautiful flooring – enjoy choosing your new floor!


With kind regards



Peter Hamberger



Dr. Peter M. Hamberger



# Table of Contents

**08**

Our Values

---

**10**

HARO Laminate Floors

---

10 Special Features

---

12 Product Highlights

---

14 Range Overview

---

16 Moisture Protection

---

**18**

HARO Room Visualizer

---

**20**

TRITTY 200 Aqua



**28**

TRITTY 100



# 38

TRITTY 90



# 44

Special edition NKL 31



# 50

HARO Accessories

---

52 Skirtings/  
Insulation underlays/  
Mouldings/Stair  
nosings

---

53 clean & green  
Care Series

---


# 54

Certification

---

# Natural beauty is not a matter of chance

HARO stands for natural beauty. Over the decades, we have learned to understand what makes a truly beautiful floor. This knowledge and our enthusiasm for the unique beauty of wood inspire us every day. And you will feel it in every single one of our Laminate Floors. They are made of 80% wood, and the grain and texture are authentically modelled on real wood. This makes the natural quality of the floor visible and tangible. The big advantage: Thanks to the innovative developments, HARO Laminate Floors are more durable and easy to clean, and are even suitable for use in rooms subject to splashes and spills



HARO Laminate Floor  
TRITTY200 Aqua  
Gran Via 4V  
Oak Emilia Honey authentic soft  
(wood reproduction)

# Sustainable quality 'Made in Germany'

As a family business, we think ahead and approach what we do in a considered and sustainable manner. For us, this includes the careful use of all resources. For instance, we only use wood from our own and from certified forestry. This ensures that the amount of wood taken from the forests never exceeds the amount that can grow back again. And thanks to our biomass power plants and our hydroelectric power plant that uses the power of the Sims river, we are self-sufficient in energy – and in addition to our production, we can even supply 8000 households with electricity.

Integral parts of our company's philosophy are also our commitment to Rosenheim as our headquarters and the fact that our products are 'Made in Germany'. This becomes evident in the choice of our brand name, which is short for HAmberger ROsenheim. It is here that we cultivate and advance our unique expertise that has made us a leading and highly respected supplier on the world market. Each and every of HARO's products is of a guaranteed high quality, and will give you many years of pleasure – this is what we are committed to day after day. This striving for the highest standard is particularly well demonstrated by the fact that our laminate floors are extraordinarily resistant to scratching, abrasion, pressure and impact.

## Values speak louder than words

Values are more than just words:  
They shape our thoughts and actions – every single day.



### Committed to sustainability

The more than 150-year history of our family business is characterised by sustainable thinking and action. We are aware of our responsibility and embrace it with enthusiasm and commitment – for society, for the environment, for people.



### Natural and healthy living

Not only are HARO floors beautiful to look at and to touch, they are also free from any harmful substances. For this, HARO was awarded the 'Blue Angel' quality label. This means that you can rest assured that our floors contribute to a high standard of healthy living and a pleasant ambience in the home.



### Guaranteed high quality

We know what it takes to produce naturally beautiful, high-quality floors. We put this knowledge into practice with great care – in every single floorboard, right down to the last detail. This is something we are proud of, and we prove it with the best quality.



### Made with passion

HARO is passion for natural beauty. We love processing and refining natural materials. Every single day, we use all our expertise and experience to ensure that you can feel the perfection of nature in our floors.



### Made in Germany

As Germany's leading parquet manufacturer, we combine traditional craftsmanship with new technology in Rosenheim. This makes it possible for us to produce floor coverings of the highest quality. For more comfort when it comes to installation and maintenance, and for long-lasting pleasure in living, working and living.

# Laminate Floors: the floor for any occasion

A laminate floor from HARO is an excellent choice for many reasons. Our high-tech floors inspire with a look and surface texture that is almost indistinguishable from real wood parquet. At the same time, they convince with their durability and robustness, while substantially contributing to a healthy living environment. In addition, the label 'Made in Germany' guarantees that our top-quality Laminate Floors are exclusively produced in Germany under the best conditions.



[www.blauer-engel.de/uz176](http://www.blauer-engel.de/uz176)



# Areas of use

No matter what your requirements are, at HARO you will find just the laminate floor you are looking for – and always of a quality that meets the highest standards. Here you can see at a glance which series best suits your requirements.

## TRITTY 200 Aqua

For high-traffic residential and commercial applications



## TRITTY 100

For residential applications with high traffic and commercial applications with medium traffic



## TRITTY 90

For residential applications with high traffic and commercial applications with medium traffic



## Special edition NKL31

For residential applications with high traffic and commercial applications with low traffic



### RESIDENTIAL APPLICATIONS

Bedroom	Recommended	Recommended	Recommended	Recommended
Children's room	Recommended	Recommended	Recommended	Recommended
Dining room	Recommended	Recommended	Recommended	Recommended
Living room	Recommended	Recommended	Recommended	Recommended
Hallway	Recommended	Recommended	Recommended	Possible
Kitchen	Recommended	Recommended	Recommended	Possible

### COMMERCIAL APPLICATIONS

Office	Recommended	Recommended	Recommended	
Hotel room	Recommended	Recommended	Recommended	
Conference room	Recommended	Recommended	Recommended	
Doctor's practice	Recommended	Possible	Possible	
Reception area	Recommended			
Showroom	Recommended			

Recommended Possible



*Discover our laminate floors online now!*

# Incredibly quiet


With HARO TRITTY Silent CT, we have invented the world's quietest laminate floor – room sound is reduced by 60% compared to conventional laminate floors. True living comfort that makes HARO TRITTY Silent CT the perfect choice for rooms that are used intensively for living and playing, such as living rooms or children's rooms. The Silent CT technology is available for all TRITTY series, except for the NKL 31 special edition.




60% quieter  
than standard  
floating  
laminate floors

# Top Connect – the easiest method of installation


Thanks to the innovative Top Connect installation system, you can easily and quickly install our laminate floors yourself – and remove them just as easily when you move home. No tools are necessary. Simply angle in the floorboard, push it against the previously laid board and press it down. Done! Installation is quick and your floor will be dimensionally stable and fit accurately. Also, it can be installed on underfloor heating and cooling systems. We always have the matching accessories for your HARO Laminate Floor. You can find out more about insulation underlays, skirtings and mouldings on page 52.



Angle in



Press down



Done



**5G** Fold Down  
locking system

You can  
find detailed  
installation  
instructions on  
[HARO.com](http://HARO.com)

# Surfaces with character

The surface treatment protects and refines the laminate floor. To give the individual appearance of each board its final touch, HARO's designers first choose the style. Only then do they decide which type of finish best suits the look of the floorboard.



## **Pores**

Slightly pore-textured and silky shine finish.




## **Pores matt**

Slight pore texture and natural matt look.



## **Textured matt**

Similar to real wood grain. The matt appearance underlines the natural look.




## **Soft matt**

Noticeably velvety-soft and naturally matt with a slight gloss effect in the texture.



## **Authentic**

The texture and style are practically indistinguishable from real wood. The gloss level emphasises the character and natural look of the wood reproduction.



## **Authentic matt**

The texture and style are practically indistinguishable from real wood. The surface has a natural oil character and Plank 1-Strip also has a slight gloss effect in the pores.



## **Authentic soft**

The texture and style are practically indistinguishable from real wood. The surface feels velvety and soft.



## **Bevelled edges on the long and short sides**

To create an even more vivid impression, the edges on the long sides and ends are bevelled.

# Perfect throughout the home

HARO Laminate Floors are ideal for all rooms. Whether it is surface aesthetics, installation height, maximum weight capacity or the application area – with four different series, we meet all needs.

## TRITTY 200 Aqua – The Hard-wearing Floor

Thanks to the high level of use and its excellent resistance to abrasion, this floor is ideally suited for more heavily used living areas such as hallways and kitchens, and even for commercial applications. The extra moisture protection also makes TRITTY 200 Aqua the right choice for the bathroom.

Level of use 23/33

## TRITTY 100 – The Tough One

The tough laminate floor with the huge selection that has everything you are looking for. The Silent CT technology even makes the TRITTY 100 Series the world's quietest laminate floor.

Level of use 23/32

## TRITTY 90 – The Trendy One

Modern styles, robust construction and the new soft matt surface: the TRITTY 90 Series gives rooms a fresh and trendy look.

Level of use 23/32

## Special edition NKL 31 – The Starter Model

Top quality at an excellent price: The HARO Special Edition NKL 31 is the ideal entry-level laminate floor for young living and your first own flat.

Level of use 23/31

## Formats



### Gran Via 4V

Dimensions: 243 x 2200 mm  
(9 9/16" x 86 5/8")  
8 mm (5/16") thick

### Plank 1-Strip 4V

Dimensions: 193 x 1282 mm  
(7 19/32" x 50 15/32")  
8 mm (5/16") thick



### Gran Via 4V

Dimensions: 243 x 2200 mm  
(9 9/16" x 86 5/8")  
8 mm (5/16") thick

### Plank 1-Strip 4V

Dimensions: 193 x 1282 mm  
(7 19/32" x 50 15/32")  
8 mm (5/16") thick

### Campus 4V

Dimensions: 243 x 2200 mm  
(9 9/16" x 86 5/8")  
8 mm (5/16") thick


### Loft 4V

Dimensions: 135 x 1282 mm  
(5 5/16" x 50 15/32")  
8 mm (5/16") thick



### Plank 1-Strip 4V, Plank 1-Strip, 3-Strip

Dimensions: 193 x 1282 mm  
(7 19/32" x 50 15/32")  
7 mm (9/32") thick




### Plank 1-Strip, 2-Strip, 3-Strip

Dimensions: 193 x 1282 mm  
(7 19/32" x 50 15/32")  
7 mm (9/32") thick



moisture  
protection



- 1 | 3-Strip – Dynamic**
  - Three parallel strips create a vibrant look
  - Classic styles
  - Gives large areas a clear structure
  - Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32")
- 2 | 2-Strip – Distinctive**
  - Two parallel strips per board element
  - Gives rooms a distinctive character
  - Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32")
- 3 | Plank 1-Strip – Classic**
  - Almost indistinguishable from real parquet
  - Modern-classic board aesthetics
  - Dimensions: 193 x 1282 mm (7 19/32" x 50 15/32")
- 4 | Loft 4V – Slim**
  - Looks particularly elegant in smaller rooms
  - Bevelled edges on four sides to give the floor visual structure
  - Dimensions: 135 x 1282 mm (5 5/16" x 50 15/32")
- 5 | Campus 4V – Trendy**
  - Classic board length with a generous width
  - Gives even vibrant styles a harmonious look across the whole surface
  - Dimensions: 243 x 1282 mm (9 9/16" x 50 15/32")
- 6 | Gran Via 4V – Gigantic**
  - Gives rooms a more spacious appearance
  - The board has an authentic character thanks to the format and the bevelled edges on all four sides
  - Dimensions: 243 x 2200 mm (9 9/16" x 86 5/8")



60% quieter  
than standard  
laminated  
floors

# A highly water resistant solution

HARO Laminate Floors are suitable for any room – even if it gets exposed to spills. Thanks to the aquaTec system, you can rest assured that they will always remain dimensionally stable. Additional safety is provided by the new TRITTY 200 Aqua Series, which is even resistant to standing tap water for up to 24 hours.



## aquaTec – double moisture protection

Their well-balanced multilayer construction ensures that HARO Laminate Floors remain stable at all times. And they will always stay in good shape. This is ensured by the special aquaTec system, which combines the moisture-control aquaResist HDF coreboard with a specially impregnated surface protection layer (overlay and decorative layer).



## TRITTY 200 Aqua – even better moisture protection

With the aquaReject moisture-control coreboard, TRITTY 200 Aqua is optimally protected against moisture and is also approved for installation in rooms (Wo-1 in accordance with DIN 18534), such as domestic bathrooms or kitchens. Due to its special impregnation and the highest degree of resistance against swelling, TRITTY 200 Aqua can withstand standing tap water for up to 24 hours. With its special aquaReject coreboard TRITTY 200 Aqua is also suitable for damp rooms.

# Easy to clean and maintain

HARO Laminate Floors are extremely easy to care for and remain timelessly beautiful. Dry cleaning with a vacuum cleaner or a broom is all that is necessary. Simply sweep or vacuum the floor and, if necessary, wipe the floor with a damp cloth using the environmentally friendly cleaning agent 'clean & green active', which is specifically designed for HARO Laminate Floors.



*Do you need more  
information? Click here for  
online product advice!*

HARO Laminate Floor  
TRITTY200 Aqua  
Plank 1-Strip 4V  
Oak Bergamo Silver Grey authentic soft  
(wood reproduction)

# Bring your favourite floor into your home. Right now.


Almost as exciting as a test drive, but certainly less complicated. With the HARO Room Visualizer, you can install your favourite HARO Laminate Floor in your own four walls – easily, virtually, and without obligation.

Does your dream floor match your beloved couch or the colour of the newly painted kitchen backsplash? Which board format and colour will make your home office look particularly spacious? Virtually install your favourite laminate floor with the HARO Room Visualizer – with just one click. Simply visit [haro.com/roomvisualizer](https://haro.com/roomvisualizer) and get started.

## And this is how it works:

1. Visit [haro.com/roomvisualizer](https://haro.com/roomvisualizer)
2. Take a photo of your room or upload an existing photo
3. Select your desired laminate floor
4. Admire how good your favourite laminate floor looks in your home.





*Test our HARO Room  
Visualizer now.*

# TRITTY 200 Aqua

**The hard-wearing  
laminate floor  
with extra moisture protection**

- Suitable for areas with spills and splashes
- Double moisture protection due to the aquaTec system
- With the level of use 33, the highest abrasion class AC 6 and a thickness of 8 mm (5/16"), it is particularly hard-wearing and abrasion-resistant
- Incredibly fast and easy to install thanks to Top Connect
- Available with Silent Pro (luxury insulation layer) or Silent CT (the world's quietest laminate floor)
- Suitable for use with underfloor heating and cooling



Gran Via 4V, Plank 1-Strip 4V

HARO Laminate Floor  
TRITTY 200 Aqua  
Plank 1-Strip 4V  
Oak Eleganza Nutmeg authentic  
(wood reproduction)





HARO Laminare Floor  
TRITTY200 Aqua  
Plank 1-Strip 4V  
Oak Contura Black authentic  
(wood reproduction)

HARO Laminare Floor  
TRITTY200 Aqua  
Plank 1-Strip 4V  
Oak Eleganza Creme White authentic  
(wood reproduction)



HARO Laminate Floor  
TRITTY200 Aqua  
Gran Via 4V  
Oak Sicilia White authentic matt  
(wood reproduction)





HARO Laminate Floor  
TRITTY200 Aqua  
Gran Via 4V  
Oak Portland Puro authentic  
(wood reproduction)

***This could be your TRITTY 200 Aqua floor. Test the look with our HARO Room Visualizer!***





*HARO Laminate Floor  
TRITTY 200 Aqua  
Plank 1-Strip 4V  
Oak Eleganza Smoked authentic  
(wood reproduction)*



*HARO Laminate Floor  
TRITTY200 Aqua  
Gran Via 4V  
Oak Eleganza Nature authentic  
(wood reproduction)*

# TRITTY 200 Aqua

## Technology and range



243 mm (9 9/16")  
2200 mm (86 5/8")

193 mm (7 19/32")  
1282 mm (50 15/32")



Gran Via 4V, Plank 1-Strip 4V

**1**

The overlay (the upper layer) is almost as hard as a diamond and is hard to beat when it comes to durability, scratch resistance and strength. Overlay, specially impregnated (durable protective layer)

**2**

The decorative layer made out of a special lightfast paper guarantees a high grade of naturalness and bright, brilliant colours – this is owed to the process in which it is elaborately printed and soaked in melamine resin. Decorative laminate and sheets of kraft paper, specially impregnated

**3**

Special moisture-control HDF E1 coreboard aquaResist

**4**

The balancing laminate on the back of the laminate floorboard balances out the tension to the overlay. It prevents the boards from warping and offers additional moisture protection. Several sheets of balancing laminate (moisture repellent)























**5**

Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)

**Smart advice.**  
**Click here for online**  
**product advice!**



# Gran Via 4V / Plank 1-Strip 4V

White	Nature Light	Nature Medium	Nature Dark	Grey
 <b>Oak Eleganza Creme White*</b> Plank 1-Strip 4V ID NO. 541 559 Gran Via 4V ID NO. 541 584	 <b>Oak Portland Puro*</b> Plank 1-Strip 4V ID NO. 539 146 Gran Via 4V ID NO. 539 148	 <b>Oak Emilia Honey*</b> Plank 1-Strip 4V ID NO. 540 242 Gran Via 4V ID NO. 540 269	 <b>Oak Eleganza Smoked*</b> Plank 1-Strip 4V ID NO. 542 056 Gran Via 4V ID NO. 542 059	 <b>Oak Emilia Velvet Grey*</b> Plank 1-Strip 4V ID NO. 540 244 Gran Via 4V ID NO. 540 271
 <b>Oak Contura Stone Grey*</b> Plank 1-Strip 4V ID NO. 540 239 Gran Via 4V ID NO. 540 266	 <b>Oak Eleganza Puro*</b> Plank 1-Strip 4V ID NO. 541 558 Gran Via 4V ID NO. 541 583	 <b>Oak Portland Nature*</b> Plank 1-Strip 4V ID NO. 540 245 Gran Via 4V ID NO. 540 272	 <b>Oak Emilia Amber*</b> Plank 1-Strip 4V ID NO. 540 241 Gran Via 4V ID NO. 540 268	 <b>Oak Bergamo Silver Grey*</b> Plank 1-Strip 4V ID NO. 541 553 Gran Via 4V ID NO. 541 578
 <b>Oak Sicilia White*</b> Plank 1-Strip 4V ID NO. 537 368 Gran Via 4V ID NO. 537 374	 <b>Oak Veneto Crema*</b> Plank 1-Strip 4V ID NO. 541 560 Gran Via 4V ID NO. 541 585	 <b>Oak Veneto Nature*</b> Plank 1-Strip 4V ID NO. 540 246 Gran Via 4V ID NO. 540 273	 <b>Oak Contura Smoked*</b> Plank 1-Strip 4V ID NO. 540 240 Gran Via 4V ID NO. 540 267	 <b>Oak Veneto Mocca*</b> Plank 1-Strip 4V ID NO. 537 373 Gran Via 4V ID NO. 537 379
	 <b>Oak Emilia Puro*</b> Plank 1-Strip 4V ID NO. 540 243 Gran Via 4V ID NO. 540 270	 <b>Oak Eleganza Nature*</b> Plank 1-Strip 4V ID NO. 541 557 Gran Via 4V ID NO. 541 582	 <b>Oak Eleganza Nutmeg*</b> Plank 1-Strip 4V ID NO. 541 556 Gran Via 4V ID NO. 541 581	 <b>Oak Eleganza Antique Grey*</b> Plank 1-Strip 4V ID NO. 541 555 Gran Via 4V ID NO. 541 580
	 <b>Oak Sicilia Puro*</b> Plank 1-Strip 4V ID NO. 537 370 Gran Via 4V ID NO. 537 376	 <b>Oak Sicilia Nature*</b> Plank 1-Strip 4V ID NO. 537 371 Gran Via 4V ID NO. 537 377		 <b>Oak Contura Black*</b> Plank 1-Strip 4V ID NO. 541 554 Gran Via 4V ID NO. 541 579

Level of Use:	23/33
Abrasion class:	AC6
Impact class:	IC3
Scratch resistance:	Grade 5
Electrostatic behaviour:	Antistatic class ASF2
Warranty:	25 years in residential applications, 10 years in commercial applications
Dimensions***:	Plank 1-Strip 4V: 8 x 193 x 1282 mm (5/16" x 7 19/32" x 50 15/32"), with Silent Pro luxury insulation layer or Silent CT: 2 mm (3/32") higher Gran Via 4V: 8 x 243 x 2200 mm (5/16" x 9 9/16" x 86 5/8"), with Silent Pro luxury insulation layer or Silent CT: 2 mm (3/32") higher
Indoor sound improvement with Silent CT:	60 %**
Footfall sound improvement with Silent CT:	14 dB
Indoor sound improvement with Silent Pro luxury insulation layer:	approx. 30 %**
Footfall sound improvement with Silent Pro luxury insulation layer:	18 dB

\* Wood reproduction  
\*\* Measured by EPLF Impact Hammer/Walking Lady tests (compared to reference floor)  
\*\*\* Thickness x Width x Length

# TRITTY 100

## The tough laminate floor with the huge selection

- Particularly durable with a thickness of 8 mm (5/16") and the level of use 32
- Available with Silent Pro (luxury insulation layer) or Silent CT (the world's quietest laminate floor)
- Suitable for use with underfloor heating and cooling
- Double moisture protection due to aquaTec system



Gran Via 4V, Plank 1-Strip 4V,  
Campus 4V, Loft 4V

HARO Laminate Floor  
TRITTY100  
Loft 4V  
Scandinavian Oak authentic  
(wood reproduction)





HARO Laminate Floor  
TRITTY100  
Plank 1-Strip 4V  
Oak Emilia White authentic soft  
(wood reproduction)





*HARO Laminate Floor  
TRITTY 100  
Plank 1-Strip 4V  
Oak Portland Grey authentic  
(wood reproduction)*



*HARO Laminate Floor  
TRITTY 100  
Loft 4V  
Oak Emilia Light Grey authentic soft  
(wood reproduction)*


*HARO Laminate Floor*  
*TRITTY 100*  
*Campus 4V*  
*Oak Veneto Crema authentic matt*  
*(wood reproduction)*



*HARO Laminate Floor*  
*TRITTY 100*  
*Gran Via 4V*  
*Oak Emilia Amber authentic soft*  
*(wood reproduction)*

***This could be your TRITTY 100 floor.  
Test the look with our HARO Room  
Visualizer!***





Hier steht eine Bildlegende

HARO Laminate Floor  
TRITTY 100  
Plank 1-Strip 4V  
Oak Veneto Mocca authentic matt  
(wood reproduction)

# TRITTY 100

## Technology and range



**1**

The overlay (the upper layer) is almost as hard as a diamond and is hard to beat when it comes to durability, scratch resistance and strength. Overlay, specially impregnated (durable protective layer)

**2**

The decorative layer made out of a special lightfast paper guarantees a high grade of naturalness and bright, brilliant colours – this is owed to the process in which it is elaborately printed and soaked in melamine resin. Decorative laminate, with special impregnation.

**3**


The softwood coreboard ensures maximum dimensional stability and protection from moisture. Special moisture-control HDF E1 coreboard aquaResist.

**4**

The balancing laminate on the back of the laminate floorboard balances out the tension to the overlay. It prevents the boards from warping and offers additional moisture protection.

**5**

Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)



**Smart advice.**  
**Click here for online**  
**product advice!**
































Gran Via 4V

White	Nature Light	Nature Medium	Nature Dark	Grey
<div></div> <div></div> <div><b>Oak Eleganza Creme White*</b></div> <div>ID NO. 541 518</div>	<div></div> <div></div> <div><b>Oak Portland Puro*</b></div> <div>ID NO. 533 140</div>	<div></div> <div></div> <div><b>Oak Emilia Honey*</b></div> <div>ID NO. 538 772</div>	<div></div> <div></div> <div><b>Oak Eleganza Smoked*</b></div> <div>ID NO. 542 053</div>	<div></div> <div></div> <div><b>Oak Emilia Velvet Grey*</b></div> <div>ID NO. 538 770</div>
<div></div> <div></div> <div><b>Oak Contura Stone Grey*</b></div> <div>ID NO. 531 917</div>	<div></div> <div></div> <div><b>Oak Eleganza Puro*</b></div> <div>ID NO. 541 517</div>	<div></div> <div></div> <div><b>Oak Portland Nature*</b></div> <div>ID NO. 533 141</div>	<div></div> <div></div> <div><b>Oak Emilia Amber*</b></div> <div>ID NO. 541 519</div>	<div></div> <div></div> <div><b>Oak Bergamo Silver Grey*</b></div> <div>ID NO. 541 513</div>
<div></div> <div></div> <div><b>Oak Emilia White*</b></div> <div>ID NO. 538 765</div>	<div></div> <div></div> <div><b>Oak Veneto Crema*</b></div> <div>ID NO. 535 269</div>	<div></div> <div></div> <div><b>Oak Veneto Nature*</b></div> <div>ID NO. 541 520</div>	<div></div> <div></div> <div><b>Oak Contura Smoked*</b></div> <div>ID NO. 538 773</div>	<div></div> <div></div> <div><b>Oak Veneto Mocca*</b></div> <div>ID NO. 541 521</div>
	<div></div> <div></div> <div><b>Oak Emilia Puro*</b></div> <div>ID NO. 538 769</div>	<div></div> <div></div> <div><b>Oak Eleganza Nature*</b></div> <div>ID NO. 541 516</div>	<div></div> <div></div> <div><b>Oak Eleganza Nutmeg*</b></div> <div>ID NO. 541 515</div>	<div></div> <div></div> <div><b>Oak Eleganza Antique Grey*</b></div> <div>ID NO. 541 514</div>
	<div></div> <div></div> <div><b>Oak Italica Creme*</b></div> <div>ID NO. 530 693</div>	<div></div> <div></div> <div><b>Oak Italica Nature*</b></div> <div>ID NO. 530 338</div>	<div></div> <div></div> <div><b>Oak Emilia Amber Velvet Brown*</b></div> <div>ID NO. 538 771</div>	<div></div> <div></div> <div><b>Oak Contura Black*</b></div> <div>ID NO. 533 144</div>
		<div></div> <div></div> <div><b>Alpine Oak Nature*</b></div> <div>ID NO. 526 709</div>	<div></div> <div></div> <div><b>Italian Walnut*</b></div> <div>ID NO. 526 714</div>	<div></div> <div></div> <div><b>Oak Portland Grey*</b></div> <div>ID NO. 533 139</div>
			<div></div> <div></div> <div><b>Vintage Oak*</b></div> <div>ID NO. 526 712</div>	<div></div> <div></div> <div><b>Oak Bergamo Carbon*</b></div> <div>ID NO. 538 767</div>
			<div></div> <div></div> <div><b>Oak Italica Smoked*</b></div> <div>ID NO. 530 333</div>	







# TRITTY 100

## Technology and range









### Plank 1-Strip 4V

White	Nature Light	Nature Medium	Nature Dark	Grey
 <p><b>Oak Eleganza Creme White*</b> ID no. 541 475</p>	 <p><b>Oak Portland Puro*</b> ID NO. 533 122</p>	 <p><b>Oak Emilia Honey*</b> ID NO. 538 692</p>	 <p><b>Oak Eleganza Smoked*</b> ID NO. 542 050</p>	 <p><b>Oak Emilia Velvet Grey*</b> ID NO. 538 695</p>
 <p><b>Oak Contura Stone Grey*</b> ID NO. 538 696</p>	 <p><b>Oak Eleganza Puro*</b> ID NO. 541 474</p>	 <p><b>Oak Portland Nature*</b> ID NO. 533 123</p>	 <p><b>Oak Emilia Amber*</b> ID NO. 541 476</p>	 <p><b>Oak Bergamo Silver Grey*</b> ID NO. 541 470</p>
 <p><b>Oak Emilia White*</b> ID no. 538 689</p>	 <p><b>Oak Veneto Crema*</b> ID NO. 535 261</p>	 <p><b>Oak Veneto Nature*</b> ID NO. 541 478</p>	 <p><b>Oak Contura Smoked*</b> ID NO. 538 697</p>	 <p><b>Oak Veneto Mocca*</b> ID NO. 541 477</p>
	 <p><b>Oak Emilia Puro*</b> ID no. 538 691</p>	 <p><b>Oak Eleganza Nature*</b> ID NO. 541 473</p>	 <p><b>Oak Eleganza Nutmeg*</b> ID NO. 541 472</p>	 <p><b>Oak Eleganza Antique Grey*</b> ID NO. 541 471</p>
	 <p><b>Oak Italica Creme*</b> ID NO. 538 920</p>	 <p><b>Oak Italica Nature*</b> ID NO. 530 335</p>	 <p><b>Oak Emilia Amber Velvet Brown*</b> ID NO. 542 079</p>	 <p><b>Oak Contura Black*</b> ID NO. 534 461</p>
		 <p><b>Alpine Oak Nature*</b> ID NO. 542 069</p>	 <p><b>Italian Walnut*</b> ID NO. 542 076</p>	 <p><b>Oak Portland Grey*</b> ID NO. 533 121</p>
			 <p><b>Vintage Oak*</b> ID NO. 526 678</p>	 <p><b>Oak Bergamo Carbon*</b> ID NO. 538 694</p>
			 <p><b>Oak Italica Smoked*</b> ID NO. 530 327</p>	

Campus 4V

White	Nature Light	Nature Medium	Nature Dark	Grey
<div></div> <div><b>Oak Emilia White*</b> ID No. 541 542</div>	<div></div> <div><b>Oak Emilia Puro*</b> ID No. 538 750</div>	<div></div> <div><b>Oak Italica Creme*</b> ID No. 532 060</div>	<div></div> <div><b>Oak Contura Smoked*</b> ID No. 541 540</div>	<div></div> <div><b>Oak Bergamo Silver Grey*</b> ID No. 538 748</div>
	<div></div> <div><b>Oak Veneto Crema*</b> ID No. 541 543</div>	<div></div> <div><b>Alpine Oak Nature*</b> ID No. 532 063</div>		
		<div></div> <div><b>Oak Emilia Honey*</b> ID No. 541 541</div>		

Loft 4V

White	Nature Light	Nature Medium	Nature Dark	Grey
<div></div> <div><b>Oak Emilia White*</b> ID No. 538 716</div>	<div></div> <div><b>Oak Portland Puro*</b> ID No. 538 722</div>	<div></div> <div><b>Oak Emilia Honey*</b> ID No. 538 720</div>	<div></div> <div><b>Italian Walnut*</b> ID No. 535 372</div>	<div></div> <div><b>Oak Emilia Light Grey*</b> ID No. 538 717</div>
<div></div> <div><b>Scandinavian Oak*</b> ID No. 538 718</div>			<div></div> <div><b>Oak Contura Smoked*</b> ID No. 538 721</div>	<div></div> <div><b>Oak Veneto Crema*</b> ID NO. 538 719</div>

Level of Use:	23/32
Abrasion class:	AC4
Impact class:	IC2
Scratch resistance:	Grade 4
Electrostatic behaviour:	Antistatic class ASF2
Warranty:	25 years in residential applications, 5 years in commercial applications
Dimensions***:	Plank 1-Strip 4V: 8 x 193 x 1282 mm (5/16" x 7 19/32" x 50 15/32") / Loft 4V: 8 x 135 x 1282 mm (5/16" x 5 5/16" x 50 15/32") / Campus 4V: 8 x 243 x 1282 mm (5/16" x 9 9/16" x 50 15/32") / Gran Via 4V: 8 x 243 x 2200 mm (5/16" x 9 9/16" x 86 5/8"), with Silent Pro luxury insulation layer or Silent CT: 2 mm (3/32" higher)
Indoor sound improvement with Silent CT:	approx. 30 %**
Footfall sound improvement with Silent CT:	18 dB
Indoor sound improvement with Silent Pro luxury insulation layer:	60 %**
Footfall sound improvement with Silent Pro luxury insulation layer:	14 dB

\* Wood reproduction  
\*\* Measured by EPLF Impact Hammer/Walking Lady tests (compared to reference floor)  
\*\*\* Thickness x Width x Length

# TRITTY 90

## Trendy floor design – beautiful and durable

- With a construction height of only 7 millimetres (9/32"), it is ideal for renovations
- High resistance thanks to level of use 32
- Available with Silent Pro (luxury insulation layer) or Silent CT (the world's quietest laminate floor)
- Suitable for use with underfloor heating and cooling
- Double moisture protection due to aquaTec system



Plank 1-Strip,  
Plank 1-Strip 4V, 3-Strip




HARO Laminate Floor  
TRITTY90  
Plank 1-Strip  
Alabama Oak textured matt  
(wood reproduction)



*HARO Laminate Floor  
TRITTY 90  
Plank 1-Strip 4V  
Oak Savona White soft matt  
(wood reproduction)*



*HARO Laminate Floor  
TRITTY 90  
Plank 1-Strip 4V  
Oak Smoked Heartwood textured matt  
(wood reproduction)*





*This could be your TRITTY 90 floor.  
Test the look with our  
HARO Room Visualizer!*

HARO Laminate Floor  
TRITTY 90  
Plank 1-Strip 4V  
Oak Dolomiti textured matt  
(wood reproduction)



# TRITTY 90

## Technology and range



**1**

The overlay (the upper layer) is almost as hard as a diamond and is hard to beat when it comes to durability, scratch resistance and strength. Overlay, specially impregnated (durable protective layer)

**2**

The decorative layer made out of a special lightfast paper guarantees a high grade of naturalness and bright, brilliant colours – this is owed to the process in which it is elaborately printed and soaked in melamine resin. Decorative laminate, with special impregnation.

**3**

The softwood coreboard ensures maximum dimensional stability and protection from moisture. Special moisture-control HDF E1 coreboard aquaResist.

**4**

The balancing laminate on the back of the laminate floorboard balances out the tension to the overlay. It prevents the boards from warping and offers additional moisture protection.

**5**

Optionally available with integrated Silent Pro luxury insulation layer or with Silent CT technology (suitable for use with underfloor heating)

193 mm  
(7 19/32")  
1282 mm (50 15/32")







































Plank 1-Strip,  
Plank 1-Strip 4V,3-Strip

**Smart advice.**  
**Click here for online  
product advice!**



Plank 1-Strip, Plank 1-Strip 4V und 3-Strip

White	Nature Light	Nature Medium	Nature Dark	Grey
<div></div> <div><b>Oak Savona White*</b> Plank 1-Strip 4V ID no. 538 648</div>	<div></div> <div><b>Design Wood Harmony*</b> Plank 1-Strip 4V ID no. 535 237</div>	<div></div> <div><b>Oak Italica Creme*</b> Plank 1-Strip 4V ID no. 538 653</div>	<div></div> <div><b>Oak Livorno Smoked*</b> Plank 1-Strip 4V ID no. 538 650</div>	<div></div> <div><b>Oak Emilia Light Grey*</b> Plank 1-Strip 4V ID no. 538 651</div>
<div></div> <div><b>Scandinavian Oak*</b> Plank 1-Strip 4V ID no. 535 235</div>	<div></div> <div><b>Holm Oak*</b> 3-Strip ID no. 538 855</div>	<div></div> <div><b>Oak Verano*</b> Plank 1-Strip 4V ID no. 538 655</div>	<div></div> <div><b>Smoked Oak*</b> Plank 1-Strip 4V ID no. 538 656</div>	<div></div> <div><b>Oak Livorno Greige*</b> Plank 1-Strip 4V ID no. 538 652</div>
<div></div> <div><b>Oak Bergamo Antique White*</b> Plank 1-Strip 4V ID no. 538 646</div>	<div></div> <div><b>Oak Melina Puro*</b> Plank 1-Strip 4V ID no. 535 238</div>	<div></div> <div><b>Oak Savona Nature*</b> Plank 1-Strip 4V ID no. 538 649</div>	<div></div> <div><b>Alabama Oak*</b> Plank 1-Strip 4V ID no. 538 647</div>	<div></div> <div><b>Highland Oak*</b> Plank 1-Strip 4V ID no. 538 856</div>
<div></div> <div><b>Oak Dolomiti*</b> Plank 1-Strip 4V ID no. 538 654</div>		<div></div> <div><b>Oak Terana*</b> Plank 1-Strip 4V ID no. 535 239</div>		<div></div> <div><b>Oak Corona*</b> Plank 1-Strip 4V ID no. 538 645</div>

Level of Use:	23/32
Abrasion class:	AC4
Impact class:	IC2
Scratch resistance:	Grade 4
Electrostatic behaviour:	Antistatic class ASF2
Warranty:	20 years in residential applications, 5 years in commercial applications
Dimensions***:	7 x 193 x 1282 mm (9/32" x 7 19/32" x 50 15/32"), with Silent Pro luxury insulation layer: 2 mm (3/32") higher
Indoor sound improvement with Silent CT:	approx. 60 %**
Footfall sound improvement with Silent CT:	18 dB
Indoor sound improvement with Silent Pro luxury insulation layer:	60 %**
Footfall sound improvement with Silent Pro luxury insulation layer:	14 dB

\* Wood reproduction  
\*\* Measured by EPLF Impact Hammer/Walking Lady tests (compared to reference floor)  
\*\*\* Thickness x Width x Length

# Special Edition NKL 31

## The perfect starter floor

- With a construction height of only 7 millimetres (9/32"), it is ideal for renovations
- Suitable for use with underfloor heating and cooling
- For all residential applications



Plank 1-Strip, 3-Strip, 2-Strip

HARO Laminate Floor  
Special Edition NKL 31  
Plank 1-Strip  
Oak Meran textured matt  
(wood reproduction)





HARO Laminate Floor  
Special edition NKL 31  
2-Strip  
Graphite Oak textured matt  
(wood reproduction)



HARO Laminate Floor  
Special edition NKL 31  
3-Strip  
Maple Akzent pores  
(wood reproduction)




*HARO Laminate Floor  
Special edition NKL 31  
3-Strip  
Walnut Ambiente pores  
(wood reproduction)*



***This could be your NKL 31 floor.  
Test the look with our  
HARO Room Visualizer!***

# Special edition NKL31

## Technology and range



**1**

The overlay (the upper layer) is almost as hard as a diamond and is hard to beat when it comes to durability, scratch resistance and strength. Overlay, specially impregnated (durable protective layer)

**2**

The decorative layer made out of a special lightfast paper guarantees a high grade of naturalness and bright, brilliant colours – this is owed to the process in which it is elaborately printed and soaked in melamine resin. Decorative laminate, with special impregnation.

**3**

The softwood coreboard ensures maximum dimensional stability and protection from moisture. Special moisture-control HDF E1 coreboard aquaResist.

**4**


The balancing laminate on the back of the laminate floorboard balances out the tension to the overlay. It prevents the boards from warping and offers additional moisture protection.

**5**

Optionally available with integrated Silent Pro luxury insulation layer (suitable for use with underfloor heating)

193 mm  
(7 19/32")  
1282 mm (50 15/32")





Plank 1-Strip,  
3-Strip, 2-Strip



**Smart advice.**  
**Click here for online**  
**product advice!**



Plank 1-Strip, 3-Strip, 2-Strip

White	Nature Light	Nature Medium	Nature Dark	Grey
<div><div>soft m</div></div> <div><b>Oak Siena Velvet White*</b> Plank 1-Strip 4V ID no. 538 634</div>	<div><div>p</div></div> <div><b>Beech Beige*</b> 3-Strip ID no. 538 630</div>	<div><div>soft m</div></div> <div><b>Oak Olbia*</b> Plank 1-Strip 4V ID no. 538 628</div>	<div><div>soft m</div></div> <div><b>Oak Modena*</b> Plank 1-Strip 4V ID no. 538 633</div>	<div><div>s m</div></div> <div><b>Oak Dover*</b> Plank 1-Strip 4V ID no. 534 267</div>
<div><div>soft m</div></div> <div><b>Oak Tivoli*</b> Plank 1-Strip 4V ID no. 538 629</div>	<div><div>p</div></div> <div><b>Maple Akzent*</b> 3-Strip ID no. 538 631</div>	<div><div>s m</div></div> <div><b>Oak Engadin*</b> 2-Strip ID no. 533 098</div>	<div><div>p</div></div> <div><b>Walnut Ambiente*</b> 3-Strip ID no. 538 854</div>	<div><div>s m</div></div> <div><b>Graphite Oak*</b> 2-Strip ID no. 530 278</div>
	<div><div>s m</div></div> <div><b>Oak Meran*</b> Plank 1-Strip 4V ID no. 535 201</div>	<div><div>soft m</div></div> <div><b>Oak Siena Puro*</b> Plank 1-Strip 4V ID no. 538 632</div>		

Level of Use:	23/31
Abrasion class:	AC3
Impact class:	IC1
Scratch resistance:	Grade 3
Electrostatic behaviour:	Antistatic class ASF2
Warranty:	15 years in residential applications
Dimensions***:	7 x 193 x 1282 mm (9/32" x 7 19/32" x 50 15/32"), with Silent Pro luxury insulation layer: 2 mm (3/32") higher
Indoor sound improvement with Silent Pro:	approx. 30 %**
Footfall sound improvement with Silent Pro:	18 dB

\* Wood reproduction  
\*\* Measured by EPLF Impact Hammer/Walking Lady tests (compared to reference floor)  
\*\*\* Thickness x Width x Length

# HARO Accessories

**Always a perfect match.**

From skirtings to insulation underlays: HARO offers a wide range of matching accessories for your laminate floor. Manufactured in the same quality and perfectly matched to the look and characteristics of your parquet floor – for a better feeling when restyling your home.

Compatible  
with  
all products

HARO Laminate Floor  
TRITTY200 Aqua  
Gran Via 4V  
Oak Eleganza Puro authentic  
(wood reproduction)



*Find the right accessories  
for your floor online!*




## Guaranteed to fit: HARO Accessories for Laminate Floors

When you choose HARO, you get more than just a floor. HARO offers perfectly harmonised accessories, cleaning and care products, and replacement parts – not just for today and tomorrow, but for the entire lifetime of your floor. After all, as a fifth-generation family business, we are well aware of the importance of continuity and reliability – for the availability of our products as well as the relationship with our valued dealers and installation partners.



### Skirtings

Matching or with a contrast? Skirtings enable transitions between the floor and the wall that are visually and functionally attuned to your desired floor. Naturally, they are also available in water-resistant versions.



### Insulation underlays

Whether with or without underfloor heating: different insulation underlays guarantee the perfect underlay for every room and every floor.



blauer-engel.de/uz196



### Transition mouldings

With the matching transition mouldings, you can harmoniously combine different flooring variants or even different floor coverings.



### Stair nosings

With stair nosings, the room and staircase become an aesthetic unit. This makes open room concepts appear particularly elegant and harmonious.



*You can get the right care product for your floor from your dealer or online.*

## clean & green, perfect care for laminate floors

We always offer the right cleaning product so that you can keep your floor clean easily and gently. You will be amazed at how little of the care product you need.



### **clean & green active**

For the basic cleaning of worn surfaces in intensively used living areas. For cleaning the floor before treatment with aqua shield.



### **clean & green aqua shield**

For long-term refurbishing and maintenance of your HARO Laminate Floor.

# HARO Laminate Floors will convince you. Guaranteed.

Every day, our employees put great expertise, experience and passion into their work. That is why we are certain that product from HARO will convince with its outstanding quality. We emphasise this with our warranties of 20 and 25 years, which is up to twice as long as those of other manufacturers.

The fact that quality is a top priority at HARO is proven by numerous certificates from internationally recognised institutions. As a member of important industry organisations and associations, we are also committed to quality, transparency and sustainability that reach beyond our company.

## HARO warranty (up to 25 years)



In addition to the statutory warranty terms, HARO also provides additional warranties for various product groups. Please note the respective warranty conditions.

## Certificates



[blauer-engel.de/uz176](http://blauer-engel.de/uz176)

The Blue Angel certifies the environmental compatibility of our products: [blauer-engel.de/uz176](http://blauer-engel.de/uz176)

## Made in Germany



Our quality floors are of the highest-quality German workmanship.

## ISO Certificates



HARO's energy management is certified according to ISO 50001: 2013.



DIN EN ISO 14001: 2004 stands for active environmental management. We have been a holder of the Bavarian Quality Award since 1998, and of the PEFC seal since 2002.



Since 1995, we have been certified according to DIN EN ISO 9001:2008. This ensures consistent product quality.

## CE Certificate



The CE label stands for compliance with all European safety and health directives.

# An excellent choice.

Whichever floor you choose: your HARO Laminate Floor will be a delight. Together with your specialist dealer, you have selected this floor/these floors:

The product numbers of your favourites

---

---

---

---

---

---

Your notes

---

---

---

---

---

---



***You haven't been to a dealer yet? Find one near you now.***

If you have any questions or would like to make an appointment, your dealer will be happy to help you.

# HARO

**Hamberger Flooring GmbH&Co.KG**  
Postfach 10 03 53 | 83003 Rosenheim | Germany  
T + 49 8031 700-0 | F + 49 8031 700-600  
info@haro.de | haro.com



Committed to  
sustainability



Naturally  
healthy living



Guaranteed  
high quality



Made with  
passion



Made in  
Germany